

# Key Vocabulary Index

Mathematical terms are best understood when you see them used and defined *in context*. This index lists where you will find key vocabulary. A full glossary is available in your Record and Practice Journal and at [BigIdeasMath.com](http://BigIdeasMath.com).

- absolute value equation, 24
- absolute value function, 234
- absolute value inequality, 134
- arithmetic sequence, 244
- asymptote, 553
- axis of symmetry, 404
- binomial, 331
- box-and-whisker plot, 620
- causation, 648
- closed, 266
- common difference, 244
- common ratio, 308
- completing the square, 470
- compound inequality, 132
- compound interest, 297
- conjugates, 509
- continuous domain, 212
- correlation coefficient, 647
- degree of a monomial, 330
- degree of a polynomial, 331
- dependent variable, 204
- direct variation, 544
- discrete domain, 212
- discriminant, 480
- distance formula, 528
- domain, 204
- excluded value, 552
- exponential decay, 302
- exponential decay function, 302
- exponential function, 286
- exponential growth, 296
- exponential growth function, 296
- extraneous solution, 513
- factored completely, 389
- factored form, 358
- factoring by grouping, 388
- five-number summary, 620
- focus, 412
- FOIL Method, 343
- function, 204
- function notation, 226
- geometric sequence, 308
- graph of an inequality, 107
- graph of a linear inequality, 138
- graph of a system of linear inequalities, 186
- half-planes, 138
- hypotenuse, 522
- independent variable, 204
- inequality, 106
- interquartile range, 621
- inverse function, 559
- inverse relation, 558
- inverse variation, 544
- joint frequency, 654
- least common denominator of a rational expression, 583
- legs, 522
- line of best fit, 647
- line of fit, 640
- linear equation, 44
- linear function, 218
- linear inequality in two variables, 138
- linear regression, 647
- literal equation, 28
- marginal frequency, 654
- maximum value, 427
- measure of central tendency, 608
- measure of dispersion, 614
- minimum value, 427
- monomial, 330
- nonlinear function, 238
- $n$ th root, 278
- parabola, 404
- perpendicular lines, 57
- piecewise function, 232
- point-slope form, 80
- polynomial, 331
- prime polynomial, 389
- Pythagorean Theorem, 522
- quadratic equation, 456
- quadratic formula, 478
- quadratic function, 404
- quartile, 620
- range, 204
- range (of a data set), 614
- rational equation, 590
- rational expression, 562
- rational function, 552
- rationalizing the denominator, 508
- recursive rule, 312
- relation, 208
- residual, 646
- rise, 50
- root, 358
- run, 50
- scatter plot, 638
- sequence, 244
- simplest form of a radical expression, 508
- simplest form of a rational expression, 562
- slope, 50
- slope-intercept form, 60
- solution of an inequality, 106
- solution of a linear equation, 44
- solution of a linear inequality, 138
- solution set, 106
- solution of a system of linear equations, 156
- solution of a system of linear inequalities, 186
- square root equation, 512
- square root function, 504
- standard deviation, 615
- standard form, 66
- step function, 233
- system of linear equations, 156
- system of linear inequalities, 186
- term, 244
- theorem, 520
- trinomial, 331
- two-way table, 654
- vertex, 404
- vertex form, 432
- Vertical Line Test, 209
- $x$ -intercept, 60
- $y$ -intercept, 60
- zero, 419
- Zero-Product Property, 358

# Student Index

This student-friendly index will help you find vocabulary, key ideas, and concepts. It is easily accessible and is designed to be a reference for you whether you are looking for a definition, a real-life application, or help with avoiding common errors.

## A

- Absolute value equation**, *See also* Equation(s)
  - defined, 24
  - real-life application, 25
  - solving, 24
- Absolute value function**, *See also* Function(s)
  - defined, 234
  - graphing, 234–235
- Absolute value inequality**, *See also* Inequality
  - defined, 134
  - real-life application, 135
- Addition
  - as inverse of subtraction, 4
  - polynomials, 334–339
    - error analysis, 338
    - real-life application, 337
  - Property
    - of Equality, 4
    - of Inequality, 112
  - rational expressions, 580–587
    - error analysis, 585–586
    - with like denominators, 582
    - with unlike denominators, 583
  - to solve equations, 4–5
- Addition Property of Equality, 4
- Addition Property of Inequality, 112
- Algebra tiles
  - polynomials
    - adding, 334
    - classifying, 328
    - difference of squares, 382
    - dividing, 574–575
    - factoring with GCF, 362–363
    - finding binomial factors, 368–369, 376–377
    - multiplying, 340–341
    - perfect square trinomials, 382
    - square of binomial pattern, 349
    - subtracting, 335
    - sum and difference pattern, 348
  - solving equations by completing the square, 468–469

- Area formula
  - of a rectangle, 28
  - using, 26
- Arithmetic sequence(s)**, 242–247
  - defined, 244
  - equation, 245
  - error analysis, 248
  - real-life application, 246
  - recursive equation, 312
  - writing, 247
- Asymptote(s)**
  - defined, 553
  - identifying, 553
  - writing, 555
- Axis of symmetry**, defined, 404

## B

- Bar graph, 660
- Binomial(s)**, *See also* Polynomial(s)
  - defined, 331
  - square of binomial pattern, 348–353
    - error analysis, 352
    - real-life application, 351
  - sum and difference pattern, 348–353
    - error analysis, 352
- Box-and-whisker plot**, 618–625, 660
  - error analysis, 623–624
  - five-number summary of, 620
  - interquartile range of, 621
  - quartiles, 620
  - skewed left, 622
  - skewed right, 622
  - symmetric, 622
  - writing, 623–625

## C

- Causation**, defined, 648
- Choose Tools, *Throughout. For example, see:*
  - data displays, 632
  - equations
    - graphing linear equations, 43
    - slope, 54
    - solving, 7, 14
    - square root, 517
    - systems of linear and quadratic, 491

- exponential decay function, 305
- exponential functions, 305
- factoring polynomials, 381
- function notation, 231
- graphing quadratic functions, 431
- graphs
  - linear equations, 43
  - quadratic functions, 431
  - scatter plots, 643
- polynomials
  - dividing, 579
  - factored form, 361
  - factoring, 381
  - scatter plots, 643
  - slope of a line, 54
  - square root equations, 517
  - systems of linear and quadratic equations, 491
- Circle graph, 660
- Closed set**, defined, 266
- Common difference**, defined, 244
- Common Errors
  - completing the square, 471
  - graphing, 419
  - inequalities, 119
  - Pythagorean Theorem, 528
  - quadratic equations, 471
  - quadratic functions, 419
  - subtracting rational expressions, 582
- Common ratio**, defined, 308
- Comparing functions
  - exponential, linear, and quadratic, 434–441
  - graphs of, 442–443
  - linear and nonlinear, 236–241
- graphs
  - of exponential functions, 442–443
  - of quadratic functions, 442–443
- Comparison chart, 222
- Completing the square**
  - to solve quadratic equations, 468–473
  - defined, 470
  - error analysis, 472
  - real-life application, 471

**Compound inequalities**, *See also*

Inequality

defined, 132

graphing, 132–135

real-life application, 135

solving, 132–133

**Compound interest**, defined, 297

Concept circle, 634

**Conjugates**, defined, 509

Constant of variation, 544

**Continuous domains**, *See also*

Domain(s)

defined, 210, 212

error analysis, 214

graphing, 213

Coordinate plane

distance formula, 526–531

error analysis, 530

real-life application, 529

writing, 530

**Correlation coefficient**, defined,

647

Critical thinking, *Throughout. For example, see:*

comparing functions, 441

data analysis, 617

scatter plots, 643

equations

linear, 53–55, 63

multi-step, 15

quadratic, 483

simple, 9

exponential growth, 299

function notation, 231

functions

comparing, 441

exponential, 299

geometric sequences, 310

graphing, 53

linear equations, 69

inequalities, 109, 115, 122

linear in two variables,

142–143

irrational numbers, 267

linear equations, 63, 69

systems of, 159, 175

writing, 76

lines of fit, 643

polynomials, dividing, 579

quadratic equations, 483

rational expressions, 565

scatter plots, 643

slope of a line, 53–55

slope-intercept form, 62

solving equations, 9, 15

square root equations, 517

standard deviation, 617

Cross Products Property, 590

**D**Data, *See* Data analysis and Data

display(s)

Data analysis, *See also* Data

display(s)

causation, 648

correlation coefficient, 647

distribution

skewed left, 622, 628–633

skewed right, 622, 628–633

symmetric, 622, 626–633

uniform, 628

linear regression, 647

line of best fit, 647

line of best fit, 647

lines of fit

correlation coefficient, 647

linear regression, 647

line of best fit, 647

residuals, 646–647

writing, 649

mean, 606–611

defined, 608

measures of central tendency,

606–611

defined, 608

project, 617

measures of dispersion,

612–617

defined, 614

range of, 614

standard deviation, 615

median, 606–611

defined, 608

mode, 606–611

defined, 608

outliers, 609, 629

project, 617

range of a data set, 614

relationship of data, 639

residuals, 646–647

scatter plots

lines of fit, 644–651

relationship of data, 639

standard deviation, 615

writing, 610

Data display(s), *See also* Data

analysis

bar graphs, 660

box-and-whisker plots, 618–625,

660

error analysis, 623–624

five-number summary of, 620

interquartile range of, 621

quartiles, 620

skewed left, 622

skewed right, 622

symmetric, 622

writing, 624–625

choosing a, 658–663

circle graphs, 660

distributions, 626–633

dot plots, 606, 660

five-number summary

defined, 620

histograms, 660

interquartile range

defined, 621

line graphs, 660

misleading, 661

pictographs, 660

quartiles

defined, 620

scatter plots, 636–643, 660

defined, 638

stem-and-leaf plots, 660

two-way tables, 652–657

defined, 654

**Degree of a monomial**, defined,

330

**Degree of a polynomial**, defined,

331

**Dependent variable**, defined, 204

Difference of two squares pattern,

382–387

real-life application, 385

writing, 386

**Direct variation**, 542–549

constant of variation for, 544

defined, 544

graphing, 546

reading, 545

**Discrete domains**, *See also*

Domain(s)

defined, 210, 212

error analysis, 214

graphing, 212

**Discriminant**

defined, 477, 480

interpreting, 480

**Distance formula**, in a coordinate

plane, 526–531

error analysis, 530

real-life application, 529

writing, 530

Distribution, 626–633

skewed left, 622, 628–633

skewed right, 622, 628–633

symmetric, 622, 626–633

- uniform, 628
- writing, 631
- Distributive Property
  - multiplying polynomials, 342
  - solving equations with, 13
- Division
  - as inverse of multiplication, 5
  - of polynomials 574–579
    - error analysis, 578–579
    - writing, 578
  - Property
    - of Equality, 5
    - of Inequality, 116–123
  - of rational expressions, 568–573
    - error analysis, 572
    - writing, 572
  - to solve equations, 5
- Division Property of Equality, 5
- Division Property of Inequality, 116–123
  - error analysis, 121–122
- Domain(s)**
  - continuous
    - defined, 210, 212
    - graphing, 213
  - discrete, 210–215
    - defined, 210, 212
    - graphing, 212
  - error analysis, 214
  - of a function, 202–207
    - defined, 204
    - error analysis, 206
    - real-life application, 205
    - square root, 504
  - writing, 214
- Dot plot, 660
- 
- Equation(s)
  - absolute value, 24–25
    - defined, 24
    - real-life application, 25
    - solving, 24
    - writing, 25
  - arithmetic sequence, 245
  - direct variation, 542–549
    - graphing, 545
    - reading, 545
  - exponential
    - solving, 292–293
  - extraneous solutions, 513
  - geometric sequences, 309
  - graphing, 42–47
    - error analysis, 46, 62
    - real-life application, 45, 61
    - slope, 48–55
    - in slope-intercept form, 58–63
    - solution points, 42
  - inverse variation, 542–549
    - error analysis, 548
    - graphing, 545
    - reading, 545
    - real-life application, 546
  - linear
    - defined, 44
    - error analysis, 46
    - graphing, 42–47
    - real-life applications, 45, 88–89
    - slope, 48–55
  - literal
    - defined, 28
    - error analysis, 30
    - real-life application, 29
    - rewriting, 26–31
  - multi-step, 10–15
    - error analysis, 14
    - real-life application, 13
  - parabola, 413
  - parallel line, 84
  - perpendicular line, 85
  - in point-slope form, 78–83
    - real-life application, 81
    - writing, 82
  - polynomial, *See* Polynomial equation(s)
  - quadratic
    - choosing a solution method, 484–485
    - defined, 456
    - error analysis, 460, 466, 472, 481–482
    - real-life applications, 458, 465, 471, 479
    - solutions, 456–457
    - solving by completing the square, 468–473
    - solving by graphing, 454–461
    - solving by the quadratic formula, 476–483
    - solving using square roots, 462–467
    - writing, 459, 467
  - rational
    - defined, 590
    - real-life application, 591
    - solving, 588–593
    - writing, 592
  - rewriting, 26–31
    - error analysis, 30
    - real-life application, 29
  - sequences
    - arithmetic, 312
    - geometric, 312
  - slope
    - defined, 48, 50
    - error analysis, 54
    - project, 54
  - in slope-intercept form, 58–63
    - error analysis, 62, 76
    - real-life applications, 61, 75
  - solving
    - by addition, 4–5
    - with Addition Property of Equality, 4,
    - with Cross Products Property, 590
    - with Distributive Property, 13
    - by division, 5
    - by graphing, 182–183
    - with least common denominator, 591
    - with like terms, 12
    - multi-step, 10–15
    - by multiplication, 5
    - project, 91
    - rational, 588–593
    - real-life problems, 86–93
    - simple, 2–9
    - by subtraction, 4–5
    - with Subtraction Property of Equality, 4
    - with variables on both sides, 18–23
    - writing, 592
  - square root
    - defined, 512
    - error analysis, 515–516
    - extraneous solutions of, 513
    - real-life application, 514
    - solving, 510–517
    - writing, 515–516
  - squaring both sides of, 512–517
  - in standard form, 64–69
    - real-life application, 67
  - systems of linear
    - defined, 154, 156
    - error analysis, 159, 165, 173–174, 180
    - number of solutions, 176–181
    - reading, 156
    - real-life applications, 157, 163, 172
    - solving by elimination, 168–175
    - solving by graphing, 154–159
    - solving by substitution, 160–165
  - with variables on both sides, 18–23

- error analysis, 22
- real-life application, 21
- writing, 22–23
- writing, 14
  - of parallel line, 84
  - of perpendicular line, 85
  - in point-slope-form, 78–83
  - real-life problems, 86–93
  - in slope-intercept form, 72–77
  - using two points, 81
- Error analysis, *Throughout. For example, see:*
  - arithmetic sequences, 248
  - box-and-whisker plots, 623–624
  - common differences, 248
  - data displays
    - box-and-whisker plots, 623–624
  - distance formula, 530
  - domains, 214
  - equations
    - graphing, 46
    - inverse variation, 548
    - multi-step, 14
    - quadratic, 460, 466, 472, 481–482
    - rewriting, 30
    - simple, 8
    - slope, 54
    - in slope-intercept form, 62, 76
    - square root, 515–516
    - systems of linear and quadratic, 491
    - with variables on both sides, 22
    - writing, 76
  - evaluating a function, 229
  - exponential growth, 298
  - exponents, 273–274
    - rational, 280
  - expressions, 274
    - adding, 585–586
    - dividing, 572
    - simplifying, 564
  - factoring
    - perfect square trinomial, 386
    - polynomials, 360, 366, 373–374
    - trinomials, 373–374
  - function notation, 229
  - functions
    - arithmetic sequences, 248
    - domain and range, 206
    - domains, 214
    - exponential, 289, 298
    - quadratic, 408, 420, 429, 440
    - rational, 556
    - square root, 507
  - geometry
    - distance formula, 530
    - Pythagorean Theorem, 524
  - graphs
    - box-and-whisker plots, 623–624
  - inequalities, 121–122
    - graphing, 114
    - linear in two variables, 142
    - multi-step, 130
    - writing, 108
  - inverse variation, 548
  - linear equations, 159
    - in slope-intercept form, 62, 76
    - systems of, 165, 173
    - writing, 76
  - polynomials, 332
    - adding, 338
    - dividing, 578–579
    - factoring, 360, 366, 373–374, 380, 386
    - multiplying, 345–346
    - sum and difference pattern, 352
  - Pythagorean Theorem, 524
  - quadratic equations
    - solving by completing the square, 472
    - solving by graphing, 460
    - solving by the quadratic formula, 481–482
    - solving using square roots, 466
    - systems of linear and, 491
  - quadratic formula, 481–482
  - quadratic functions, 408
    - axis of symmetry, 429
    - difference and ratios of, 440
    - graphing, 408, 414, 420
  - rational expressions, 564
    - adding, 585–586
    - dividing, 572
  - rational functions, 556
  - slope, 54
  - square root equations, 515–516
  - square root functions, 507
  - square roots, 264
  - systems of linear equations
    - number of solutions, 180
    - solving by elimination, 173–174
    - solving by graphing, 159
    - solving by substitution, 165
  - systems of linear and quadratic equations, 491
  - systems of linear inequalities, 190
  - triangles
    - right, 524
    - trinomials, 373–374, 380
  - Example and non-example chart, 566
  - Excluded value**, defined, 552
  - Exponent(s), 268–275
    - properties of, 268–275
      - error analysis, 273
      - Power of a Power, 270
      - Power of a Product, 271
      - Power of a Quotient, 271
      - Product of Powers, 270
      - Quotient of Powers, 270
      - real-life application, 272
      - using, 270–271
      - writing a rule for, 268–269
    - rational, 276–281
      - error analysis, 280
      - real-life application, 279
      - writing, 280–281
  - Exponential decay**, 300–305
    - defined, 302
    - real-life application, 303
    - writing, 304
  - Exponential decay function**, defined, 302
  - Exponential equations, 292–293
  - Exponential function(s)**, 284–291
    - compared with linear and quadratic, 434–441
    - defined, 286
    - differences and ratios of, 437
    - simplifying
      - error analysis, 289
    - geometric sequences, 306–311
      - equation for, 309
      - error analysis, 310
      - real-life application, 309
      - recursive equation for, 312
      - writing, 310
    - graphing
      - rates of change, 442–443
    - growth, 294–299
      - compound interest, 297
      - error analysis, 298
      - real-life application, 297
    - modeling, 285
    - rates of change, 442–443
    - real-life application, 288
  - Exponential growth**, 294–299
    - compound interest, 297
    - defined, 296
    - error analysis, 298
    - function, 296–299
      - defined, 296
    - real-life application, 297

**Exponential growth function,**

296–299

defined, 296

**Expressions****rational**

adding, 580–587

defined, 562

dividing, 568–573

error analysis, 564, 572,  
585–586

multiplying, 568–573

real-life applications, 563, 584

simplest form of, 562

simplifying, 560–565

subtracting, 580–587

writing, 564, 572, 585

simplifying, 560–565

error analysis, 274, 564

real-life application, 563

writing, 564

**Extraneous solution**

defined, 513

identifying, 514

**Factor(s)**

greatest common, 364

**Factored completely, See also**

Polynomial(s), 389

**Factored form, defined, 358****Factoring**

polynomials, 356–361, 368–381

completely, 389

difference of two squares,  
382–387error analysis, 360, 366,  
373–374, 380, 386

by grouping, 388

perfect square trinomials,  
382–387

prime, 389

real-life applications, 359,  
365, 372, 385

trinomials, 368–381

using greatest common  
factor, 362–367

writing, 366

Zero-Product Property, 358

**Factoring by grouping, See also**

Polynomial(s), 388

**Five-number summary, defined, 620****Focus**

of a parabola

defined, 412

error analysis, 414

real-life application, 413

writing, 414

**FOIL Method, defined, 343****Formula(s)**

for area

of a rectangle, 28

distance, 528

period of a pendulum, 514

rewriting, 26–31

real-life application, 29

simple interest, 28

slope, 48, 50

for surface area

of a cone, 28

of a cylinder, 28

temperature conversion, 29

using, 26–27

for volume

of a cylinder, 9

of a sphere, 31

Four square, 124

**Function(s)**

absolute value, 234–235

defined, 234

comparing, 434–441

exponential, linear, and  
quadratic, 434–441

comparing graphs of, 442–443

defined, 204

differences and ratios of, 437

error analysis, 440

direct variation, 542–549

graphing, 545

reading, 545

domain, 202–207

continuous, 210–215

discrete, 210–215

error analysis, 206, 214

real-life application, 205

even, 549

exponential, 284–291

defined, 286

error analysis, 289

geometric sequences, 306–311

modeling, 285

real-life applications, 288,  
297, 303

writing, 304

exponential decay, 302–305

defined, 302

exponential growth, 294–299

defined, 296

graphing, 402–421, 424–443

error analysis, 408, 414, 420,  
429, 507, 556

properties of, 426

quadratic, 402–415, 424–443

rational, 550–557

real-life applications, 406,

413, 419, 505, 554

square root, 502–507

writing, 414, 420, 555

input-output tables and,  
201–205

inverse, 558–559

defined, 559

reading, 559

inverse variation, 542–549

error analysis, 548

graphing, 545

reading, 545

real-life application, 546

**linear**

arithmetic sequences,

242–249

defined, 218

patterns, 216–221

real-life applications, 219,  
239, 246**nonlinear**

compared to linear, 236–241

defined, 238

real-life application, 239

notation, 224–231

error analysis, 229

odd, 549

piecewise, 232–233

defined, 232

quadratic, 402–415

defined, 404

error analysis, 408, 414, 420,  
429

graphing, 402–415, 424–443

maximum value of, 427–428

minimum value of, 427–428

parabola, 404

real-life applications, 406,  
413, 419, 428

vertex form of, 432

writing, 407, 420

zero of, 419

range, 202–207

error analysis, 206

real-life application, 205

rates of change, 442–443


**rational**

defined, 552

error analysis, 556

graphing, 550–557

real-life application, 554

- relations, 208–209
    - defined, 208
  - square root
    - defined, 504
    - domain of, 504
    - error analysis, 507
    - graphing, 502–507
    - real-life application, 505
  - step, 233
  - Vertical Line Test, 209
  - zero of, 419, 458
  - Function notation**, 224–231
    - defined, 224, 226
    - error analysis, 229
    - reading, 226
- 
- Geometric sequences**, 306–311
    - common ratio, 308
    - equation for, 309
    - error analysis, 310
    - extending, 308
    - graphing, 308
    - real-life application, 309
    - recursive equation for, 312
  - Geometry
    - Pythagorean Theorem, 520–531
      - converse of, 528
      - defined, 522
      - distance formula and, 526–531
      - error analysis, 524, 530
      - real-life applications, 523, 529
      - using, 526–531
    - triangles, *See* Triangle(s)
  - Graph of an inequality**, *See also* Inequality
    - defined, 107
    - error analysis, 114
  - Graph of a linear inequality**, *See also* Inequality
    - defined, 136, 138
  - Graph of a system of linear inequalities**, *See also* Systems of linear inequalities
    - defined, 186
  - Graphic organizers
    - comparison chart, 222
    - concept circle, 634
    - example and non-example chart, 566
    - four square, 124
    - idea and examples chart, 354
    - information frame, 282
    - information wheel, 474
    - notetaking organizer, 166
  - process diagram, 70
  - summary triangle, 422
  - word magnet, 518
  - Y chart, 16
  - Graphing**
    - arithmetic sequences, 245
    - direct variation, 545
    - distance formula, 526–531
    - error analysis, 530
    - real-life application, 529
  - equations
    - direct variation, 545
    - error analysis, 46, 62, 460
    - exponential, 293
    - inverse variation, 545
    - real-life applications, 45, 61
    - in slope-intercept form, 58–63
  - exponential functions, 287
    - real-life application, 288
  - functions
    - error analysis, 408, 414, 420, 429, 507, 556
    - rational, 550–557
    - real-life application, 554
    - writing, 555
  - geometric sequences, 308
  - inequalities, 104–109
    - compound, 132–133, 135
    - half-plane, 138
    - linear systems of, 186–187
    - linear in two variables, 136–143
  - inverse variations, 545–546
    - real-life application, 546
  - linear equations, 42–47, 182–183
    - error analysis, 62, 68
    - process diagram, 70
    - real-life applications, 61, 67, 183
    - in slope-intercept form, 58–63
    - to solve, 182–183
    - in standard form, 64–69
  - linear functions, 216–221
  - linear inequalities
    - in one variable, 139
    - in two variables, 139
  - quadratic equations, 454–461
    - error analysis, 460
    - real-life application, 458
    - writing, 459
  - quadratic functions, 402–421, 424–443
    - axis of symmetry, 404, 426
    - error analysis, 408, 414, 420, 429
    - focus, 412
    - maximum value of, 427–428
    - minimum value of, 427–428
  - parabola, 404
  - real-life applications, 406, 413, 419, 428
  - vertex, 404, 426
  - vertex form of, 432
  - writing, 407, 414, 420
  - zero of, 419
  - rates of change
    - of functions, 442–443
  - rational functions, 550–557
    - asymptotes, 553
    - error analysis, 556
    - real-life application, 554
    - writing, 555
  - slope, 48–55
    - formula, 48, 50
    - negative, 50, 52
    - positive, 50, 52
    - project, 54
    - rise, 50
    - run, 50
    - undefined, 51–52
    - zero, 51–52
  - solution points, 42, 44
  - square root functions, 502–507
    - error analysis, 507
    - real-life application, 505
  - systems of linear equations, 154–159
    - error analysis, 159
    - real-life application, 157
  - Vertical Line Test, 209
  - vertical translations, 227, 287, 504
- Graphs**
- bar, 660
  - box-and-whisker plot, 618–625
    - error analysis, 623–624
    - five-number summary of, 621
    - interquartile range of, 621
    - quartiles of, 620
    - skewed left, 622
    - skewed right, 622
    - symmetric, 622
    - writing, 623–625
  - circle, 660
  - histogram, 660
  - line, 660
  - pictograph, 660
  - scatter plot, 636–643
    - defined, 638
    - lines of fit, 640, 644–651
- Greatest common factor (GCF)**, 364
- factoring polynomials, 362–367
    - error analysis, 366
    - writing, 366

**H****Half-plane**, defined, 138

Histogram, 660

**Hypotenuse**, defined, 522**I**

Idea and examples chart, 354

**Independent variable**, defined, 204**Inequality**

absolute value, 134–135

defined, 134

real-life application, 135

Addition Property of, 110–115

reading, 113

compound, 132–133

defined, 132

graphing, 132–133

real-life application, 135

writing, 132

defined, 106

Division Property of, 116–123

graph of a linear, 136–143

defined, 136, 138

in two variables, 136–143

graphing, 104–109

defined, 107

error analysis, 114

real-life application, 140

linear in one variable, 139

graphing, 139

linear in two variables, 136–143

defined, 138

error analysis, 142

graphing, 139

half-plane, 138

real-life application, 140

multi-step, 126–131

error analysis, 130

real-life application, 129

writing, 130

Multiplication Property of,

116–123

error analysis, 121

project, 123

solution of, 106

solution of linear, 138

solution set, 106

solving

absolute value, 134–135

compound, 132–133

error analysis, 108, 114,

121–122, 130

multi-step, 126–131

reading, 113, 138

real-life applications, 113,

129, 135, 140

using addition and

subtraction, 110–115

using multiplication and

division, 116–123

using a table, 116–117

Subtraction Property of, 110–115

symbols of, 106

reading, 106

systems of linear, 184–191

error analysis, 190

graphing, 186–187

real-life application, 188

writing, 188

Triangle inequality, 105

writing, 104–109

error analysis, 108

project, 123

Information frame, 282

Information wheel, 474

**Interquartile range**, defined, 621**Inverse function(s)**, 558–559

defined, 559

reading, 559

Inverse operations, 4, 7

addition and subtraction, 4

multiplication and division,

5, 118

**Inverse relation**, defined, 558**Inverse variation**, 542–549

constant of variation for, 544

defined, 544

error analysis, 548

graphing, 545

reading, 545

real-life application, 546

Irrational number(s), 266–267

**J****Joint frequency**, defined, 654**L****Least common denominator**

defined, 583

solving rational equations with,

591

**Legs**, of a right triangle, 522

Like terms

combining to solve equations, 12

Line(s)

asymptote, 553

graphing, 48–55

parallel, 56, 84

equation for, 84

perpendicular, 85

defined, 57

equation for, 85

slope

defined, 48, 50

error analysis, 54

formula, 50

project, 54

Vertical Line Test, 209

 $x$ -intercept of

defined, 60

 $y$ -intercept of

defined, 60

**Line of best fit**, defined, 647**Line of fit**, 636–651

analyzing, 644–651

correlation coefficient, 647

defined, 640

line of best fit, 647

linear regression, 647

residuals, 646–647

writing, 641, 649

Line graph, 660

**Linear equation(s)**, *See also*

Equation(s)

defined, 44

graphing, 42–47, 182–183

error analysis, 46, 62

real-life application, 45

slope, 48–55

in slope-intercept form,

58–63

solution points, 42

in standard form, 64–69

in point-slope form

real-life application, 81

writing, 78–83

real-life problems, 88–89

project, 91

slope, 48–55

defined, 48, 50

error analysis, 54

negative, 50, 52

positive, 50, 52

project, 54

rise, 50

run, 50

undefined, 51–52

zero, 51–52

in slope-intercept form, 58–63

error analysis, 62, 76

real-life applications, 61, 75

writing, 72–77

solution of

defined, 44

solving by graphing, 182–183

real-life application, 183



in standard form, 64–69  
 error analysis, 68  
 real-life application, 67  
 systems of, 154–159  
   defined, 156  
   error analysis, 159, 165,  
     173–174, 180  
   number of solutions, 176–181  
   reading, 156  
   real-life applications, 157,  
     163, 172  
   solving by elimination,  
     168–175  
   solving by graphing, 154–159  
   solving by substitution,  
     160–165  
 writing  
   of parallel line, 84  
   of perpendicular line, 85  
   in point-slope form, 78–83  
   real-life problems, 86–93  
   in slope-intercept form,  
     72–77  
   using two points, 81

**Linear function(s)**  
 arithmetic sequences, 242–249  
   defined, 244  
   error analysis, 248  
   real-life application, 246  
   recursive equation for, 312  
   writing, 247  
 compared with exponential and  
   quadratic, 434–441  
 defined, 218  
 differences and ratios of, 437  
 graphing  
   rates of change, 442–443  
 nonlinear compared to, 236–241  
   real-life application, 239  
 patterns, 216–221  
   real-life application, 219  
 rates of change, 442–443

**Linear inequality in two variables,**  
*See also* Inequality  
 defined, 138  
 error analysis, 142  
 graphing, 139  
 reading, 138  
 real-life application, 140

**Linear regression,**  
 defined, 647  
 line of best fit, 647

**Literal equation(s)** *See also*  
 Equation(s)  
 defined, 28  
 error analysis, 30  
 real-life application, 29  
 rewriting, 26–31

Logic, *Throughout. For example,*  
*see:*  
 box-and-whisker plots, 624  
 data displays  
   box-and-whisker plots, 624  
 domains, 215  
 equations  
   graphing, 42  
   linear systems of, 175  
   quadratic, 467  
   simple, 9  
   slope-intercept form, 59  
   solving, 42  
 exponential functions, 290  
 exponents, 281  
 factoring trinomials, 375  
 formulas, 31  
 functions  
   exponential, 290  
   quadratic, 409, 421  
 graphing, 42  
   quadratic functions, 409, 421  
 graphs  
   box-and-whisker plots, 624  
 inequalities, 109  
 linear equations  
   in standard form, 69  
   systems of, 175  
 polynomials, 333  
   factoring, 375  
 quadratic equations, 467  
 radicals, 281  
 rational expressions, 587  
 systems of linear equations, 175  
   number of solutions, 181

## M

**Marginal frequency,** defined, 654  
**Maximum value,** of a quadratic  
 function, 427–428  
 defined, 427  
 Mean, 606–611  
 defined, 608  
 Meaning of a Word  
   linear equations, 42  
**Measures of central tendency,**  
 608–611  
 defined, 608  
 mean  
   defined, 608  
 median  
   defined, 608  
 mode  
   defined, 608  
**Measures of dispersion,** 612–617  
 defined, 614

project, 617  
 range of a data set, 614  
 standard deviation, 615  
 Median, 606–611  
 defined, 608  
**Minimum value,** of a quadratic  
 function, 427–428  
 defined, 427  
 Mode, 606–611  
 defined, 608  
 Modeling, *Throughout. For*  
*example, see:*  
 box-and-whisker plots, 625  
 data analysis  
   lines of fit, 651  
 data displays  
   box-and-whisker plots, 625  
   distribution, 633  
 equations  
   polynomial, 367  
   quadratic, 461  
   square root, 517  
 functions  
   linear *vs.* nonlinear, 241  
   quadratic, 409  
   rational, 557  
 graphs  
   box-and-whisker plots, 625  
 inequalities, 115  
   absolute value, 135  
   linear in two variables, 142  
 linear equations  
   in standard form, 69  
   systems of, 159  
 lines of fit, 651  
 polynomials, 339  
   factors, 367  
 quadratic equations, 461  
 quadratic functions, 409  
 rational functions, 557  
 square root equations, 517  
 square roots, 265  
 systems of linear equations, 159

**Monomial(s),** *See also*  
 Polynomial(s)  
 defined, 330  
 degree of, 330  
 Multi-step equation(s), *See also*  
 Equation(s)  
 error analysis, 14  
 real-life application, 13  
 solving, 10–15  
   combining like terms, 12  
   with Distributive Property, 13  
 two-step, 12–13  
 Multi-step inequalities, *See*  
 Inequality

Multiplication  
 as inverse of division, 5  
 polynomials, 340–347  
   error analysis, 345–346  
   real-life application, 344  
 Property  
   of Equality, 5  
   of Inequality, 116–123  
 rational expressions, 568–573  
   writing, 572  
 to solve equations, 5  
 Multiplication Property of Equality, 5  
 Multiplication Property of Inequality, 116–123

**N**

**Nonlinear function(s)**  
 defined, 238  
 linear compared to, 236–241  
   real-life application, 239  
 Notetaking organizer, 166  
***n*th root**, 276–278  
 defined, 278  
 writing, 280  
 Number(s)  
 irrational, 266–267  
 nonzero, 330  
 rational, 266–267  
 real, 266–267  
 scientific notation, 272  
 sets, closed, 266  
 Number Sense, *Throughout*. For example, see:  
 absolute value inequality, 135  
 arithmetic sequences, 248  
 box-and-whisker plots, 623  
 correlation coefficient, 649  
 data displays  
   box-and-whisker plots, 623  
 exponential equations, 292  
 exponential growth, 299  
 expressions, 572  
 factoring  
   difference of two squares, 387  
   trinomials, 375  
 functions  
   arithmetic sequences, 248  
   exponential, 290, 299  
   linear vs. nonlinear, 241  
   quadratic, 420  
 graphing  
   quadratic functions, 420  
 graphs  
   box-and-whisker plots, 623  
 lines of fit, 649

perfect square trinomial pattern, 473  
 polynomials, 333  
   dividing, 578  
   factoring, 375  
   multiplying, 347  
 rational expressions, 572  
 systems of linear equations, 164–165  
   solving by elimination, 173

**O**

Open-Ended, *Throughout*. For example, see:  
 arithmetic sequences, 249  
 common differences, 249  
 data analysis  
   mode, 610  
 data displays, 642  
   choosing a, 662  
   two-way tables, 656  
 equations, 14  
   rational, 592  
   simple, 9  
   slope, 53  
   in slope-intercept form, 62  
   solving, 592  
   square root, 516  
   with variables on both sides, 22  
 exponential functions, 289  
 exponents, 274  
 functions  
   quadratic, 414  
   square root, 507  
 graphing  
   quadratic functions, 414  
   rational functions, 556  
   square root functions, 507  
 histograms, 662  
 inequalities, 121  
   in two variables, 141  
 mode, 610  
 negative slope, 90  
 polynomials, 332, 346  
   factoring, 367  
   sum and difference pattern, 352  
   trinomial, 373  
 rational equations, 592  
 rational expressions, 565  
   with like denominators, 586  
 rational functions, 556  
 simple equations, 9  
 slope of a line, 53  
 slope-intercept form, 62

square root equations, 516  
 square root functions, 507  
 trinomials, 332  
 two-way tables, 656  
 Operations  
 closed set, 266  
 inverse, 7  
   addition and subtraction, 4  
   multiplication and division, 5, 118  
 Ordered pairs, 44  
   solution points, 42  
   solution of a system of linear equations, 156  
   solution of a system of linear inequalities, 186  
 Outlier, defined, 609

**P**

**Parabola(s)**  
 axis of symmetry, 404  
 defined, 404  
 equation, 413  
 focus, 410–415  
   defined, 412  
   error analysis, 414  
   real-life application, 413  
   writing, 414  
 properties, 426  
 vertex, 404  
 Parallel line  
 equation of, 84  
 slope of, 56  
 Patterns  
 difference of two squares, 382–387  
 perfect square trinomial, 382–387  
 square of a binomial, 348–353  
 sum and difference, 348–353  
 Perfect square trinomial pattern, 382–387  
   error analysis, 386  
   writing, 472  
 Perimeter formulas, 26  
**Perpendicular line**  
 defined, 57  
 equation of, 84–85  
 slope of, 57  
 Pictograph, 660  
**Piecewise function(s)**, *See also* Function(s)  
 defined, 232  
 graphing, 232–233  
 writing, 233

- Point-slope form**  
 defined, 80  
 real-life application, 81  
 writing equations in, 78–83
- Polynomial(s)**, 328–333  
 adding, 334–339  
   error analysis, 338  
   real-life application, 337  
 binomial, 331  
   error analysis, 352  
   real-life application, 351  
   square of binomial pattern, 348–353  
   sum and difference pattern, 348–353  
 classifying, 328, 331  
 defined, 331  
 degree of, 331  
 difference of two squares  
   pattern, 382–387  
   writing, 386  
 dividing, 574–579  
   error analysis, 578–579  
   writing, 578  
 error analysis, 332, 338, 345–346, 352, 373–374  
 factoring  
   completely, 389  
   difference of two squares, 382–387  
   error analysis, 366, 373–374, 380, 386  
   by grouping, 388  
   perfect square trinomials, 382–387  
   prime, 389  
   real-life applications, 372, 385  
   trinomials, 368–381  
   using greatest common factor, 362–367  
   writing, 366, 373, 380, 386  
 FOIL Method, 343  
 monomials, 330  
 multiplying, 340–347  
   error analysis, 345–346  
   real-life application, 344  
   using Distributive Property, 342  
   using FOIL Method, 343  
 perfect square trinomial pattern, 382–387  
   error analysis, 386  
 real-life applications, 331, 337, 344, 351  
 square of binomial pattern, 348–353  
   error analysis, 352  
   real-life application, 351  
 subtracting, 334–339  
   error analysis, 338  
   real-life application, 337  
 sum and difference pattern, 348–353  
   error analysis, 352  
 trinomials  
   defined, 331  
   error analysis, 373–374  
   factoring, 368–381  
   real-life application, 372  
   writing, 373, 380  
 writing, 332, 338, 345, 373, 380  
 Zero-Product Property, 358
- Polynomial equation(s), *See also* Polynomial(s)  
 factored form, 356–361  
   defined, 358  
   error analysis, 360, 366  
   real-life applications, 359, 365  
   using greatest common factor, 362–367  
   writing, 360, 366  
 Zero-Product Property, 358
- Power of a Power Property, 270  
 Power of a Product Property, 271  
 Power of a Quotient Property, 271  
 Precision, *Throughout. For example, see:*  
 data displays, 657  
 direct and inverse variation, 549  
 equations  
   direct and inverse variation, 549  
   graphing, 42, 46  
   quadratic, 473  
   solving, 23  
   systems of linear, 181  
   writing, 76  
 exponents, 275  
 FOIL Method, 347  
 functions  
   domains and range, 207  
   linear *vs.* nonlinear, 241  
   square root, 507  
 geometric sequences, 311  
 graphing  
   quadratic functions, 430  
   square root functions, 507  
 graphs, 42  
 inequalities, 123  
 polynomials, 347  
 Pythagorean Theorem, 525  
 quadratic equations, 473  
 right triangles, 525  
 slope, 76  
 systems of linear equations, 181
- Prime polynomial**, *See also* Polynomial(s), 389
- Problem Solving, *Throughout. For example, see:*  
 equations  
   graphing, 47  
   linear, 47, 175  
   multi-step equations, 15  
   in point-slope form, 83  
   quadratic, 483  
 exponents, 275, 281  
 expressions, 565  
 graphs, 47  
 inequalities, 114  
   linear in two variables, 143  
 linear equations, 175  
 linear functions, 221  
 perfect square trinomial, 387  
 polynomials, 339  
   factoring, 387  
 quadratic equations, 483  
 quadratic functions, 421  
 rational expressions, 565  
 square root functions, 507
- Process diagram, 70  
 Product of Powers Property, 270  
 Product Property of Square Roots, 262
- Properties  
 Addition Property of Equality, 4  
 Addition Property of Inequality, 112  
 Cross Products Property, 590  
 Distributive Property, 13  
 Division Property of Equality, 5  
 Division Property of Inequality, 118  
 Multiplication Property of Equality, 5  
 Multiplication Property of Inequality, 118  
 Power of a Power Property, 270  
 Power of a Product Property, 271  
 Power of a Quotient Property, 271  
 Product of Powers Property, 270  
 Product Property of Square Roots, 262  
 Quotient of Powers Property, 270  
 Quotient Property of Square Roots, 262  
 Subtraction Property of Equality, 4  
 Subtraction Property of Inequality, 112  
 Zero-Product Property, 358

**Pythagorean Theorem**, 520–531  
converse of, 528  
defined, 522  
distance formula and, 526–531  
error analysis, 530  
writing, 530  
error analysis, 524, 530  
real-life applications, 523, 529  
using, 526–531  
distance formula, 526–531  
real-life application, 529



### **Quadratic equation(s)**

defined, 456  
roots, 456  
solutions of  
choosing a method, 484–485  
no real solutions, 457  
one real solution, 456  
two real solutions, 456  
using a discriminant, 480  
solving by completing the square, 468–473, 484  
defined, 470  
error analysis, 472  
real-life application, 471  
solving by factoring, 484  
solving by graphing, 454–461, 484  
error analysis, 460  
real-life application, 458  
solving by the quadratic formula, 476–484  
error analysis, 481–482  
real-life application, 479  
solving using square roots, 462–467, 484  
error analysis, 466  
real-life application, 465  
systems of linear and, 486–491  
error analysis, 491  
writing, 490  
writing, 459, 467

### **Quadratic formula**

defined, 478  
discriminant and, 480  
interpreting, 480  
using to solve quadratic equations, 476–483  
error analysis, 481–482  
real-life application, 479

### **Quadratic function(s)**

characteristics  
axis of symmetry, 404  
vertex, 404

compared to linear and exponential, 434–441  
defined, 404  
differences and ratios of, 437  
error analysis, 440  
error analysis, 408, 414, 429  
graphing, 402–421, 424–443  
axis of symmetry, 404, 426  
error analysis, 408, 414, 420, 429  
focus, 412  
parabola, 404, 410–415  
rates of change, 442–443  
real-life applications, 406, 413, 419, 428  
vertex, 404, 426  
vertex form of, 432  
writing, 407, 414, 420  
maximum value of, 427–428  
real-life application, 428  
minimum value of, 427–428  
rates of change, 442–443  
real-life applications, 406, 428  
vertex form of, 432–433  
writing, 407  
zero of, 419, 458

**Quartile**, defined, 620

Quotient of Powers Property, 270

Quotient Property of Square Roots, 262



**Radical(s)**, 276–281

*n*th root, 276–278

reading, 278

**Radical expression(s)**, 508–509

rationalizing the denominator  
defined, 508

simplest form of, 508

simplifying, 508–509

conjugates and, 509

real-life application, 509

### **Range**

of a function, 202–207

defined, 204

error analysis, 206

real-life application, 205

### **Range (of a data set)**

defined, 614

project, 617

Rate of change, 442–443

### **Rational equation(s)**

defined, 590

solving, 588–593

real-life application, 591

using Cross Products

Property, 590

using least common denominator, 591  
writing, 592

**Rational exponent(s)**, *See also* Exponent(s)

error analysis, 280

real-life application, 279

writing, 280–281

### **Rational expression(s)**

adding, 580–587

error analysis, 585–586

real-life application, 584

with like denominators, 582

with unlike denominators, 583

defined, 562

dividing, 568–573

error analysis, 572

writing, 572

excluded values of, 552, 570

least common denominator of, 583

defined, 583

writing, 585

multiplying, 568–573

writing, 572

simplest form of, 562

writing, 564–565

simplifying, 560–565

error analysis, 564

real-life application, 563

subtracting, 580–587

with like denominators, 582

with unlike denominators, 584

### **Rational function(s)**

defined, 552

graphing, 550–557

asymptotes, 553

error analysis, 556

excluded values, 552

real-life application, 554

writing, 555

Rational number(s), 266–267

**Rationalizing the denominator**,  
defined, 508

### **Reading**

direct variation, 545

function notation, 226

inequality, 113

linear with two variables, 138

symbols, 106

inverse functions, 559

inverse variation, 545

radical sign, 278

systems of linear equations, 156

Real number(s)

operations, 266–267

square of, 464

- Real-life applications, *Throughout*.  
*For example, see:*
- arithmetic sequences, 246
  - equations
    - absolute value, 25
    - graphing, 45
    - inverse variation, 546
    - multi-step, 13
    - quadratic, 458, 465, 479
    - rational, 591
    - rewriting, 29
    - simple, 6
    - in slope-intercept form, 61, 75
    - square root, 514
    - in standard form, 67
    - systems of linear, 157
    - with variable(s) on both sides, 21
  - exponential decay, 303
  - exponential growth, 297
  - exponents, 272
    - rational, 279
  - expressions, 584
    - simplifying, 563
  - factoring
    - difference of two squares, 385
    - polynomials, 365
  - functions
    - arithmetic sequences, 246
    - domain and range, 205
    - exponential, 288, 297
    - linear, 219
    - linear *vs.* nonlinear, 239
    - maximum value of, 428
    - quadratic, 413, 419, 428
    - rational, 554
    - square root, 505
  - geometry
    - Pythagorean Theorem, 523, 529
  - graphing
    - exponential functions, 288
    - linear equations, 45
    - quadratic functions, 406, 413, 419
    - rational functions, 554
    - square root functions, 505
  - inequalities, 113
    - absolute value, 135
    - compound, 135
    - linear in two variables, 140
    - multi-step, 129
  - inverse variation, 546
  - linear equations
    - point-slope form, 81
    - slope-intercept form, 61, 75
    - solving by graphing, 183
    - standard form, 67
  - parabolas, 413
  - polynomials, 331, 337, 344
    - factoring, 359, 365, 385
    - square of binomial pattern, 351
  - Pythagorean Theorem, 523, 529
  - quadratic equations
    - solving by completing the square, 471
    - solving by graphing, 458
    - solving by the quadratic formula, 479
    - solving using square roots, 465
  - quadratic formula, 479
  - rational equations, 591
  - rational expressions, 563
    - adding, 584
  - rational functions, 554
  - simple equations, 6
  - slope-intercept form, 61
  - square root functions, 505
  - square roots, 263
  - systems of linear equations
    - solving by elimination, 172
    - solving by graphing, 157
    - solving by substitution, 163
  - systems of linear inequalities, 188
  - $x$ -intercepts, 61
  - $y$ -intercepts, 61
  - Real-life problems
    - solving, 86–93
    - writing, 86–93
  - Reasoning, *Throughout. For example, see:*
    - data analysis
      - distribution, 633
      - lines of fit, 643
      - measures of central tendency, 611
      - measures of dispersion, 616–617
      - standard deviation, 616–617
    - data displays
      - choosing, 662–663
      - scatter plots, 643
      - two-way tables, 657
    - direct variation, 548
    - distance formula in a coordinate plane, 531
    - domains, 215, 249
      - of a function, 408, 556
      - of a square root function, 506–507
    - equations
      - direct variation, 548–549
      - exponential, 292
      - inverse variation, 549
      - linear, 63, 68
      - point-slope form, 85
      - quadratic, 430, 460–461, 467, 473, 483, 491
      - rational, 593
      - real solutions of, 466
      - real-life problems, 91
      - rewriting, 31
      - slope, 53, 55
      - slope-intercept form, 63
      - square root, 516
    - exponential equations, 292
    - exponential functions, 290–291, 299
      - rates of change, 443
    - exponential growth, 299
    - exponents, 274–275
    - expressions
      - adding, 585
      - dividing, 573
      - multiplying, 586
    - factoring, 432
      - perfect square trinomial, 386
      - polynomials, 360, 366, 381
    - FOIL Method, 346
    - formulas, 31
    - functions, 209
      - absolute value, 235
      - arithmetic sequences, 249
      - differences and ratios of, 440
      - domains, 249, 506
      - exponential, 290–291, 299, 443
      - linear, 208, 220–221, 443
      - piecewise, 232
      - quadratic, 408, 415, 419–421
      - rates of change, 443
      - rational, 549, 556, 564
      - square root, 506–507
      - zero of, 421
    - graphs, 68, 290–291
      - comparing, 432
      - focus of a parabola, 415, 421
      - quadratic functions, 415, 419–421, 431
      - scatter plots, 643
    - indirect variation, 549
    - inequalities, 108, 114–115
      - linear in two variables, 141, 143
      - multi-step, 131
      - systems of linear, 189–190
    - intercepts, 90
    - inverse variation, 549
    - linear equations, 209
      - systems of, 159, 180–181

- linear functions, 219
    - rates of change, 443
  - lines of fit, 643
    - correlation coefficient, 651
  - measures of central tendency, 611
  - measures of dispersion, 616
  - mental math, 516
  - point-slope form, 85
  - polynomials
    - dividing, 578–579
    - factoring, 360, 366, 381, 386
    - FOIL Method, 346
    - multiplying, 346
    - subtracting, 338
    - sum and difference pattern, 352
  - Pythagorean Theorem, 531
  - quadratic equations, 460–461, 467, 483
    - solving by completing the square, 473
    - systems of linear and, 491
  - quadratic formula
    - discriminant, 483
    - solving by, 483
  - quadratic functions, 408, 431
    - axis of symmetry, 430
    - graphing, 415, 419–421
    - vertex form of, 433
  - rational equations, 548, 593
  - rational functions, 556, 564
  - real-life problems, 90–91
  - right triangles, 531
  - scatter plots, 643
  - sequences
    - arithmetic, 249
    - geometric, 310–311
  - simple equations, 9
  - slope, 53, 55, 90
  - solutions, 466
  - square root equations, 516
  - square root functions, 507
    - domain of, 506
  - standard deviation, 616–617
  - systems of linear equations, 159, 164, 174–175
    - number of solutions, 180–181
  - systems of linear inequalities, 189–190
  - two-way tables, 657
  - Recursive rule**
    - defined, 312
    - writing, 313
  - Recursively defined sequences, 312–315
    - recursive equation
      - arithmetic sequence, 312
      - geometric sequence, 312
    - recursive rule, 312
  - Relation(s)**,
    - defined, 208
    - functions and, 208–209
    - inverse, 557
  - Repeated Reasoning, *Throughout.*
    - For example, see:*
    - arithmetic sequences, 248
    - equations
      - linear systems of, 165
      - quadratic, 482
    - geometric sequences, 311
    - graphing rational functions, 557
    - inequalities, 109
      - system of linear, 191
    - polynomials
      - dividing, 579
      - multiplying, 353
    - quadratic equations, 482
    - quadratic formula, 482
    - rewriting equations and formulas, 31
    - systems of linear equations, 165
    - systems of linear inequalities, 191
  - Residual**, defined, 646
  - Right triangle, *See* Triangle(s)
  - Rise**, defined, 50
  - Root**, defined, 358
  - Roots of numbers
    - cube, 276
    - n*th, 276–278
    - square, 504
  - Run**, defined, 50
- 
- Scatter plot**, 636–643, 660
    - defined, 638
    - lines of fit, 640–643
      - analyzing, 644–651
      - correlation coefficient, 647
      - defined, 640
      - line of best fit, 647
      - linear regression, 647
      - residuals, 646–647
      - writing, 641
    - relationship of data, 639
  - Sequences**
    - arithmetic, 242–247
      - defined, 244
      - equation for, 245
      - error analysis, 248
      - real-life application, 246
    - recursive equation for, 312
      - writing, 247, 310
    - defined, 244
    - geometric, 306–311
      - common ratio, 308
      - equation for, 309
      - error analysis, 310
      - extending, 308
      - graphing, 308
      - real-life application, 309
      - recursive equation for, 312
      - writing, 310
    - recursively defined, 312–315
    - recursive rule, 312
  - Simplest form of a radical expression**
    - conjugates and, 509
    - defined, 508
    - real-life application, 509
  - Simplest form of a rational expression**, defined, 562
  - Slope**
    - defined, 48, 50
    - error analysis, 54
    - formula, 50
    - graphing, 48–55
    - negative, 50, 52
    - parallel lines, 56, 84
    - perpendicular lines, 57
    - positive, 50, 52
    - project, 54
    - rise, 50
    - run, 50
    - undefined, 51–52
    - zero, 51–52
  - Slope-intercept form**, 58–63
    - defined, 60
    - graphing equations in
      - error analysis, 62
      - real-life application, 61
    - writing equations in, 72–77
      - error analysis, 76
      - real-life application, 75
  - Solution(s)**
    - extraneous, 513
    - of linear equations, 42, 44
    - of quadratic equations
      - choosing a method of, 484–485
      - no real, 457
      - one real, 456
      - two real, 456
  - Solution of an inequality**, defined, 106
  - Solution of a linear inequality**, *See also* Inequality
    - defined, 138

- Solution points, *See* Solution(s)
- Solution set of an inequality**, defined, 106
- Solution of a system of linear equations**, *See also* Systems of linear equations defined, 156
- Solution of a system of linear inequalities**, *See also* Systems of linear inequalities defined, 186
- Sphere, volume of, 31
- Square of binomial pattern, 348–353  
error analysis, 352  
real-life application, 351
- Square root(s), 260–265  
error analysis, 264  
evaluating, 262  
 $n$ th root, 276–278  
defined, 278  
operations with, 261  
Product Property of, 262  
writing, 264  
Quotient Property of, 262  
writing, 264  
real-life application, 263  
simplifying, 262  
symbol, 260  
to solve quadratic equations, 462–467  
error analysis, 466  
real-life application, 465  
writing, 467
- Square root equation(s)**  
defined, 512  
solving, 510–517  
error analysis, 515–516  
extraneous solutions, 513  
real-life application, 514  
writing, 515–516
- Square root function(s)**  
defined, 504  
domain of, 504  
graphing, 502–507  
error analysis, 507  
real-life application, 505
- Standard deviation**  
defined, 615  
project, 617
- Standard form**  
of linear equations  
defined, 66  
error analysis, 68  
real-life application, 67
- Standardized Test Practice domains, 213
- equations  
inverse variation, 546  
quadratic, 489  
with variables on both sides, 21  
writing in slope-intercept form, 75
- exponents, 272
- expressions  
dividing, 571
- factoring  
polynomials, 359, 379  
trinomials, 379
- function notation, 228
- functions  
linear *vs.* nonlinear, 239  
quadratic, 419
- graphs  
of multi-step inequalities, 129  
quadratic functions, 419
- inequalities, 129  
inverse variation, 546  
polynomials, 337  
factoring, 359, 379  
quadratic equations  
systems of linear and, 489  
quadratic functions, 419  
rational expressions  
dividing, 571  
simple equations, 6  
slope-intercept form, 75  
trinomials  
factoring, 379
- Stem-and-leaf plot, 660
- Step function(s)**, *See also* Function(s)  
defined, 233
- Structure, *Throughout. For example, see:*  
completing the square, 473  
data displays, 663  
distance formula in a coordinate plane, 531
- equations  
slope, 55  
solving, 23  
systems of linear, 165
- exponential functions, 291  
decay, 305
- expressions, dividing, 573  
factoring polynomials, 381
- functions  
domain and range, 235  
exponential, 291, 305  
graphing, 415  
notation, 231  
piecewise, 235  
inequalities, 123  
system of linear, 191  
inverse variation, 549  
polynomials. factoring, 381  
Pythagorean Theorem, 525  
distance formula and, 531  
quadratic equations  
solving by completing the square, 473  
quadratic functions, 415  
rational expressions, 573  
rational numbers, 267  
right triangles, 525  
slope, 55  
systems of linear equations, 165  
systems of linear inequalities, 191
- Study Tips  
absolute value function, 234  
arithmetic sequences, 246  
asymptotes, 554  
box-and-whisker plots, 620, 622  
completing the square, 470  
compound interest, 297  
conjugates, 509  
constant of variation, 544  
data displays  
box-and-whisker plots, 620, 622  
lines of fit, 640  
scatter plots, 639
- equations  
completing the square, 470  
constant of variation, 544  
factoring, 456  
inverse variation, 545  
linear, 66, 183  
of lines of fit, 647  
multi-step, 13  
quadratic, 480, 484  
slope, 50  
in standard form, 66  
writing, 74, 81
- exponential functions, 287–288  
compound interest, 297  
decay, 302  
geometric sequences, 309  
growth, 296
- exponents rational, 288
- expressions  
excluded values of, 562  
rational, 562
- factoring  
equations, 456  
polynomials, 364, 378–379

- function notation, step, 233
  - functions, 438
    - absolute value, 234
    - arithmetic sequences, 246
    - exponential, 287, 302
    - inverse, 559
    - linear, 437
    - linear *vs.* nonlinear, 238–239
    - notation, 227
    - piecewise, 234
    - quadratic, 428, 437
    - square root, 505
  - geometric sequence, 309
  - graphing
    - asymptotes, 554
    - horizontal translation, 505
    - square root function, 505
  - graphing calculator, 428
  - graphs
    - box-and-whisker plots, 620, 622
    - lines of fit, 640
    - scatter plots, 639
  - horizontal translation, 505
  - inequalities, 112, 129
    - absolute value, 135
    - compound, 132–133
    - graphing, 129
    - systems of linear, 187
  - inverse functions, 559
  - inverse operations, 112
  - inverse variation, 545
  - linear functions, 437
  - lines of fit, 640, 648
    - equations of, 647
  - parabolas, 428
  - period of a pendulum, 514
  - piecewise function, 234
  - polynomials, 336–337
    - dividing, 576–577
    - factoring, 364, 378–379
    - sum and difference pattern, 350
  - Pythagorean triples, 528
  - quadratic equations
    - roots of, 480
    - solutions of, 480, 484
  - quadratic functions, 428, 437
    - vertex form of, 433
  - radical expressions
    - conjugates, 509
    - rationalizing the denominator, 508
  - radical symbol, 278
  - rate of change, 238
  - rational exponents, 288
  - rational expressions, 562
    - rationalizing the denominator, 508
  - right triangles, 522
  - scatter plots, 639
    - lines of fit, 640, 648
  - slope, 50
  - slope of a vertical line, 56
  - solutions
    - checking for reasonableness, 465
    - of quadratic equations, 480
  - systems of linear equations
    - solving by elimination, 170–171
    - solving by graphing, 157
    - solving by substitution, 163
  - systems of linear inequalities, 187
  - triangles
    - Pythagorean triples, 528
    - right, 522
    - trinomials, factoring, 378–379
    - variation, constant of, 544
  - Subtraction
    - as inverse of addition, 4
    - polynomials, 334–339
      - error analysis, 338
      - real-life application, 337
  - Property
    - of Equality, 4
    - of Inequality, 112
  - rational expressions, 580–587
    - least common denominator of, 583
    - with like denominators, 582
    - with unlike denominators, 584
    - to solve equations, 4–5
  - Subtraction Property of Equality, 4
  - Subtraction Property of Inequality, 112
  - Sum and difference pattern, 348–353
    - error analysis, 352
  - Summary triangle, 422
  - Surface area
    - of a cone, 28
    - of a cylinder, 28
  - Symbols
    - of inequality, 106
    - reading, 106
    - radical sign, 278
    - square root, 260
  - Systems of linear equations**
    - defined, 154, 156
    - number of solutions, 176–181
      - error analysis, 180
      - infinitely many, 178–179
      - no solution, 178
      - one solution, 178
      - writing, 180
  - reading, 156
  - solution of
    - defined, 156
  - solving by elimination, 168–175
    - error analysis, 173–174
    - real-life application, 172
    - writing, 173
  - solving by graphing, 154–159
    - error analysis, 159
    - real-life application, 157
  - solving by substitution, 160–165
    - error analysis, 165
    - real-life application, 163
    - writing, 164
  - writing, 158, 164, 173
  - Systems of linear and quadratic equations**
    - solving
      - by elimination, 486–487, 489–491
      - by graphing, 486–487, 489–491
      - by substitution, 486–488, 490–491
      - error analysis, 491
      - writing, 490
  - Systems of linear inequalities,** 184–191
    - defined, 186
    - graph of
      - defined, 186
    - graphing, 186–187
    - solution of
      - defined, 186
    - solving
      - error analysis, 190
      - real-life application, 188
      - writing, 189
    - writing, 188
- 
- Temperature conversion formula, 29
  - Term of a sequence,** defined, 244
  - Theorem,** defined, 520
  - Triangle(s)
    - Pythagorean Theorem and, 520–531
      - converse of, 528
      - distance formula and, 526–531
      - error analysis, 524



real-life application, 523, 529  
 using, 526–531  
 right, 520–531  
   hypotenuse of, 522  
   identifying, 528  
   legs of, 522  
   real-life application, 529  
 Triangle Inequality, 105  
**Trinomial(s)**, *See also*  
   Polynomial(s)  
 defined, 331  
 factoring, 368–381  
   error analysis, 373–374, 380  
   real-life application, 372  
   writing, 373, 380  
**Two-way table(s)**, 652–657  
 defined, 654  
 joint frequencies, 654  
 marginal frequencies, 654  
 relationships in, 655

## V

### Variables

dependent  
 defined, 204  
 independent  
 defined, 204  
 on both sides of an equation,  
 18–13  
 error analysis, 22  
 real-life application, 21  
 writing, 22–23

### Variation

constant of, 544  
 direct, *See* Direct variation  
 inverse, *See* Inverse variation

**Vertex**, defined, 404

**Vertex form**, of a quadratic  
 function, 432–433

**Vertical Line Test**, defined, 209

### Volume, 26

of a cylinder, 9  
 of a sphere, 31

## W

Word magnet, 518

Writing, *Throughout. For example,*  
*see:*

arithmetic sequences, 247, 310  
 asymptotes, 555  
 box-and-whisker plots, 623–625  
 coordinate plane  
   distance formula, 530

data analysis  
 distribution, 631  
 lines of fit, 641  
 outliers, 610  
 data displays  
   box-and-whisker plots,  
   624–625  
   choosing a, 660  
   quartiles, 623  
 distance formula, 530  
 domains, 214  
 equations, 14  
   absolute value, 25  
   quadratic, 459, 467  
   rational, 592  
   square root, 515–516  
   systems of linear, 158  
   with variables on both sides,  
   22–23  
 exponential decay, 304  
 exponents  
    $n$ th root, 280  
   rational, 281  
 expressions  
   dividing, 572  
   least common denominator,  
   585  
   multiplying, 572  
   in simplest form, 564, 565  
 factoring  
   difference of two squares, 386  
   trinomials, 373  
 focus of a parabola, 414  
 function notation, 229  
 functions  
   exponential, 304  
   linear, 247  
   quadratic, 407  
 geometric sequences, 310  
 graphing  
   quadratic equations, 459  
   rational functions, 555  
 graphs  
   box-and-whisker plots, 623,  
   625  
 inequalities, 121, 130  
   multi-step, 130  
   systems of linear, 189  
   in two variables, 141  
 linear equations, 76  
 lines of fit, 641, 649  
 monomials, 332  
 outliers, 610  
 perfect square trinomial pattern,  
 472

polynomials, 332, 338  
 dividing, 578  
 factoring, 360, 373, 386  
 FOIL Method, 345  
   with greatest common factor,  
   366  
 quadratic equations, 459, 467  
 quadratic functions, 407, 414,  
 420  
 rational equations, 592  
 residuals, 649  
 square root equations, 515–516  
 square roots, 264  
 systems of linear equations  
   number of solutions, 180  
   solving by elimination, 173  
   solving by graphing, 158  
   solving by substitution, 164  
 systems of linear and quadratic  
 equations, 490–491  
 systems of linear inequalities,  
 189

## X

### $x$ -intercept

defined, 60  
 real-life application, 61

## Y

Y chart, 16

**$y$ -intercept**, defined, 60

## Z

### Zero

of a function, 418, 458

**Zero-Product Property**, defined,  
 358