

Key Vocabulary Index

Mathematical terms are best understood when you see them used and defined *in context*.

This index lists where you will find key vocabulary. A full glossary is available in your Record and Practice Journal and at *BigIdeasMath.com*.

- absolute value equation, 24
- absolute value function, 234
- absolute value inequality, 134
- arithmetic sequence, 244
- asymptote, 553
- axis of symmetry, 404
- binomial, 331
- box-and-whisker plot, 620
- causation, 648
- closed, 266
- common difference, 244
- common ratio, 308
- completing the square, 470
- compound inequality, 132
- compound interest, 297
- conjugates, 509
- continuous domain, 212
- correlation coefficient, 647
- degree of a monomial, 330
- degree of a polynomial, 331
- dependent variable, 204
- direct variation, 544
- discrete domain, 212
- discriminant, 480
- distance formula, 528
- domain, 204
- excluded value, 552
- exponential decay, 302
- exponential decay function, 302
- exponential function, 286
- exponential growth, 296
- exponential growth function, 296
- extraneous solution, 513
- factored completely, 389
- factored form, 358
- factoring by grouping, 388
- five-number summary, 620
- focus, 412
- FOIL Method, 343
- function, 204
- function notation, 226
- geometric sequence, 308
- graph of an inequality, 107
- graph of a linear inequality, 138
- graph of a system of linear inequalities, 186
- half-planes, 138
- hypotenuse, 522
- independent variable, 204
- inequality, 106
- interquartile range, 621
- inverse function, 559
- inverse relation, 558
- inverse variation, 544
- joint frequency, 654
- least common denominator of a rational expression, 583
- legs, 522
- line of best fit, 647
- line of fit, 640
- linear equation, 44
- linear function, 218
- linear inequality in two variables, 138
- linear regression, 647
- literal equation, 28
- marginal frequency, 654
- maximum value, 427
- measure of central tendency, 608
- measure of dispersion, 614
- minimum value, 427
- monomial, 330
- nonlinear function, 238
- n th root, 278
- parabola, 404
- perpendicular lines, 57
- piecewise function, 232
- point-slope form, 80
- polynomial, 331
- prime polynomial, 389
- Pythagorean Theorem, 522
- quadratic equation, 456
- quadratic formula, 478
- quadratic function, 404
- quartile, 620
- range, 204
- range (of a data set), 614
- rational equation, 590
- rational expression, 562
- rational function, 552
- rationalizing the denominator, 508
- recursive rule, 312
- relation, 208
- residual, 646
- rise, 50
- root, 358
- run, 50
- scatter plot, 638
- sequence, 244
- simplest form of a radical expression, 508
- simplest form of a rational expression, 562
- slope, 50
- slope-intercept form, 60
- solution of an inequality, 106
- solution of a linear equation, 44
- solution of a linear inequality, 138
- solution set, 106
- solution of a system of linear equations, 156
- solution of a system of linear inequalities, 186
- square root equation, 512
- square root function, 504
- standard deviation, 615
- standard form, 66
- step function, 233
- system of linear equations, 156
- system of linear inequalities, 186
- term, 244
- theorem, 520
- trinomial, 331
- two-way table, 654
- vertex, 404
- vertex form, 432
- Vertical Line Test, 209
- x -intercept, 60
- y -intercept, 60
- zero, 419
- Zero-Product Property, 358

Student Index

This student-friendly index will help you find vocabulary, key ideas, and concepts. It is easily accessible and is designed to be a reference for you whether you are looking for a definition, a real-life application, or help with avoiding common errors.

A

Absolute value equation, *See also*

Equation(s)

defined, 24

real-life application, 25

solving, 24

Absolute value function, *See also*

Function(s)

defined, 234

graphing, 234–235

Absolute value inequality, *See also*

Inequality

defined, 134

real-life application, 135

Addition

as inverse of subtraction, 4

polynomials, 334–339

error analysis, 338

real-life application, 337

Property

of Equality, 4

of Inequality, 112

rational expressions, 580–587

error analysis, 585–586

with like denominators, 582

with unlike denominators,
583

to solve equations, 4–5

Addition Property of Equality, 4

Addition Property of Inequality,
112

Algebra tiles

polynomials

adding, 334

classifying, 328

difference of squares, 382

dividing, 574–575

factoring with GCF, 362–363

finding binomial factors,
368–369, 376–377

multiplying, 340–341

perfect square trinomials, 382

square of binomial pattern,
349

subtracting, 335

sum and difference pattern,
348

solving equations by completing
the square, 468–469

Area formula

of a rectangle, 28

using, 26

Arithmetic sequence(s), 242–247

defined, 244

equation, 245

error analysis, 248

real-life application, 246

recursive equation, 312

writing, 247

Asymptote(s)

defined, 553

identifying, 553

writing, 555

Axis of symmetry, defined, 404

B

Bar graph, 660

Binomial(s), *See also* Polynomial(s)

defined, 331

square of binomial pattern,

348–353

error analysis, 352

real-life application, 351

sum and difference pattern,

348–353

error analysis, 352

Box-and-whisker plot, 618–625,

660

error analysis, 623–624

five-number summary of, 620

interquartile range of, 621

quartiles, 620

skewed left, 622

skewed right, 622

symmetric, 622

writing, 623–625

C

Causation, defined, 648

Choose Tools, *Throughout. For
example, see:*

data displays, 632

equations

graphing linear equations, 43

slope, 54

solving, 7, 14

square root, 517

systems of linear and

quadratic, 491

exponential decay function, 305

exponential functions, 305

factoring polynomials, 381

function notation, 231

graphing quadratic functions,
431

graphs

linear equations, 43

quadratic functions, 431

scatter plots, 643

polynomials

dividing, 579

factored form, 361

factoring, 381

scatter plots, 643

slope of a line, 54

square root equations, 517

systems of linear and quadratic
equations, 491

Circle graph, 660

Closed set, defined, 266

Common difference, defined, 244

Common Errors

completing the square, 471

graphing, 419

inequalities, 119

Pythagorean Theorem, 528

quadratic equations, 471

quadratic functions, 419

subtracting rational expressions,
582

Common ratio, defined, 308

Comparing

functions

exponential, linear, and

quadratic, 434–441

graphs of, 442–443

linear and nonlinear, 236–241

graphs

of exponential functions,
442–443

of quadratic functions,
442–443

Comparison chart, 222

Completing the square

to solve quadratic equations,
468–473

defined, 470

error analysis, 472

real-life application, 471

Compound inequalities, *See also*

- Inequality defined, 132
- graphing, 132–135
- real-life application, 135
- solving, 132–133

Compound interest, defined, 297

Concept circle, 634

Conjugates, defined, 509

Constant of variation, 544

Continuous domains, *See also*

Domain(s)

- defined, 210, 212
 - error analysis, 214
 - graphing, 213
- Coordinate plane
- distance formula, 526–531
 - error analysis, 530
 - real-life application, 529
 - writing, 530

Correlation coefficient, defined, 647Critical thinking, *Throughout. For example, see:*

- comparing functions, 441
 - data analysis, 617
 - scatter plots, 643
 - equations
 - linear, 53–55, 63
 - multi-step, 15
 - quadratic, 483
 - simple, 9
 - exponential growth, 299
 - function notation, 231
 - functions
 - comparing, 441
 - exponential, 299
 - geometric sequences, 310
 - graphing, 53
 - linear equations, 69
 - inequalities, 109, 115, 122
 - linear in two variables, 142–143
 - irrational numbers, 267
 - linear equations, 63, 69
 - systems of, 159, 175
 - writing, 76
- lines of fit, 643
- polynomials, dividing, 579
 - quadratic equations, 483
 - rational expressions, 565
 - scatter plots, 643
 - slope of a line, 53–55
 - slope-intercept form, 62
 - solving equations, 9, 15
 - square root equations, 517

- standard deviation, 617
- Cross Products Property, 590

DData, *See* Data analysis and Data display(s)Data analysis, *See also* Data display(s)

- causation, 648
 - correlation coefficient, 647
 - distribution
 - skewed left, 622, 628–633
 - skewed right, 622, 628–633
 - symmetric, 622, 626–633
 - uniform, 628
 - linear regression, 647
 - line of best fit, 647
 - line of best fit, 647
 - lines of fit
 - correlation coefficient, 647
 - linear regression, 647
 - line of best fit, 647
 - residuals, 646–647
 - writing, 649
 - mean, 606–611
 - defined, 608
 - measures of central tendency, 606–611
 - defined, 608
 - project, 617
 - measures of dispersion, 612–617
 - defined, 614
 - range of, 614
 - standard deviation, 615
- median, 606–611
- defined, 608
- mode, 606–611
- defined, 608
- outliers, 609, 629
- project, 617
- range of a data set, 614
- relationship of data, 639
- residuals, 646–647
- scatter plots
 - lines of fit, 644–651
 - relationship of data, 639
 - standard deviation, 615
 - writing, 610
- Data display(s), *See also* Data analysis
- bar graphs, 660
 - box-and-whisker plots, 618–625, 660
 - error analysis, 623–624
 - five-number summary of, 620

- interquartile range of, 621
 - quartiles, 620
 - skewed left, 622
 - skewed right, 622
 - symmetric, 622
 - writing, 624–625
- choosing a, 658–663
- circle graphs, 660
- distributions, 626–633
- dot plots, 606, 660
- five-number summary
 - defined, 620
- histograms, 660
- interquartile range
 - defined, 621
- line graphs, 660
- misleading, 661
- pictographs, 660
- quartiles
 - defined, 620
- scatter plots, 636–643, 660
- defined, 638
- stem-and-leaf plots, 660
- two-way tables, 652–657
- defined, 654

Degree of a monomial, defined, 330**Degree of a polynomial**, defined, 331**Dependent variable**, defined, 204

Difference of two squares pattern, 382–387

- real-life application, 385
- writing, 386

Direct variation, 542–549

- constant of variation for, 544
- defined, 544
- graphing, 546
- reading, 545

Discrete domains, *See also*

Domain(s)

- defined, 210, 212
- error analysis, 214
- graphing, 212

Discriminant


- defined, 477, 480
- interpreting, 480

Distance formula, in a coordinate plane, 526–531

- error analysis, 530
- real-life application, 529
- writing, 530

Distribution, 626–633

- skewed left, 622, 628–633
- skewed right, 622, 628–633
- symmetric, 622, 626–633

- uniform, 628
- writing, 631
- Distributive Property
 - multiplying polynomials, 342
 - solving equations with, 13
- Division
 - as inverse of multiplication, 5
 - of polynomials 574–579
 - error analysis, 578–579
 - writing, 578
 - Property
 - of Equality, 5
 - of Inequality, 116–123
 - of rational expressions, 568–573
 - error analysis, 572
 - writing, 572
 - to solve equations, 5
- Division Property of Equality, 5
- Division Property of Inequality, 116–123
 - error analysis, 121–122
- Domain(s)**
 - continuous
 - defined, 210, 212
 - graphing, 213
 - discrete, 210–215
 - defined, 210, 212
 - graphing, 212
 - error analysis, 214
 - of a function, 202–207
 - defined, 204
 - error analysis, 206
 - real-life application, 205
 - square root, 504
 - writing, 214
- Dot plot, 660
- 
- Equation(s)
 - absolute value, 24–25
 - defined, 24
 - real-life application, 25
 - solving, 24
 - writing, 25
 - arithmetic sequence, 245
 - direct variation, 542–549
 - graphing, 545
 - reading, 545
 - exponential
 - solving, 292–293
 - extraneous solutions, 513
 - geometric sequences, 309
 - graphing, 42–47
 - error analysis, 46, 62
 - real-life application, 45, 61
 - slope, 48–55
 - in slope-intercept form, 58–63
 - solution points, 42
 - inverse variation, 542–549
 - error analysis, 548
 - graphing, 545
 - reading, 545
 - real-life application, 546
 - linear
 - defined, 44
 - error analysis, 46
 - graphing, 42–47
 - real-life applications, 45, 88–89
 - slope, 48–55
 - literal
 - defined, 28
 - error analysis, 30
 - real-life application, 29
 - rewriting, 26–31
 - multi-step, 10–15
 - error analysis, 14
 - real-life application, 13
 - parabola, 413
 - parallel line, 84
 - perpendicular line, 85
 - in point-slope form, 78–83
 - real-life application, 81
 - writing, 82
 - polynomial, *See* Polynomial equation(s)
 - quadratic
 - choosing a solution method, 484–485
 - defined, 456
 - error analysis, 460, 466, 472, 481–482
 - real-life applications, 458, 465, 471, 479
 - solutions, 456–457
 - solving by completing the square, 468–473
 - solving by graphing, 454–461
 - solving by the quadratic formula, 476–483
 - solving using square roots, 462–467
 - writing, 459, 467
 - rational
 - defined, 590
 - real-life application, 591
 - solving, 588–593
 - writing, 592
 - rewriting, 26–31
 - error analysis, 30
 - real-life application, 29
 - sequences
 - arithmetic, 312
 - geometric, 312
 - slope
 - defined, 48, 50
 - error analysis, 54
 - project, 54
 - in slope-intercept form, 58–63
 - error analysis, 62, 76
 - real-life applications, 61, 75
 - solving
 - by addition, 4–5
 - with Addition Property of Equality, 4,
 - with Cross Products Property, 590
 - with Distributive Property, 13
 - by division, 5
 - by graphing, 182–183
 - with least common denominator, 591
 - with like terms, 12
 - multi-step, 10–15
 - by multiplication, 5
 - project, 91
 - rational, 588–593
 - real-life problems, 86–93
 - simple, 2–9
 - by subtraction, 4–5
 - with Subtraction Property of Equality, 4
 - with variables on both sides, 18–23
 - writing, 592
 - square root
 - defined, 512
 - error analysis, 515–516
 - extraneous solutions of, 513
 - real-life application, 514
 - solving, 510–517
 - writing, 515–516
 - squaring both sides of, 512–517
 - in standard form, 64–69
 - real-life application, 67
 - systems of linear
 - defined, 154, 156
 - error analysis, 159, 165, 173–174, 180
 - number of solutions, 176–181
 - reading, 156
 - real-life applications, 157, 163, 172
 - solving by elimination, 168–175
 - solving by graphing, 154–159
 - solving by substitution, 160–165
 - with variables on both sides, 18–23

- error analysis, 22
- real-life application, 21
- writing, 22–23
- writing, 14
 - of parallel line, 84
 - of perpendicular line, 85
 - in point-slope-form, 78–83
 - real-life problems, 86–93
 - in slope-intercept form, 72–77
 - using two points, 81
- Error analysis, *Throughout. For example, see:*
 - arithmetic sequences, 248
 - box-and-whisker plots, 623–624
 - common differences, 248
 - data displays
 - box-and-whisker plots, 623–624
 - distance formula, 530
 - domains, 214
 - equations
 - graphing, 46
 - inverse variation, 548
 - multi-step, 14
 - quadratic, 460, 466, 472, 481–482
 - rewriting, 30
 - simple, 8
 - slope, 54
 - in slope-intercept form, 62, 76
 - square root, 515–516
 - systems of linear and quadratic, 491
 - with variables on both sides, 22
 - writing, 76
 - evaluating a function, 229
 - exponential growth, 298
 - exponents, 273–274
 - rational, 280
 - expressions, 274
 - adding, 585–586
 - dividing, 572
 - simplifying, 564
 - factoring
 - perfect square trinomial, 386
 - polynomials, 360, 366, 373–374
 - trinomials, 373–374
 - function notation, 229
 - functions
 - arithmetic sequences, 248
 - domain and range, 206
 - domains, 214
 - exponential, 289, 298
 - quadratic, 408, 420, 429, 440
 - rational, 556
 - square root, 507
 - geometry
 - distance formula, 530
 - Pythagorean Theorem, 524
 - graphs
 - box-and-whisker plots, 623–624
 - inequalities, 121–122
 - graphing, 114
 - linear in two variables, 142
 - multi-step, 130
 - writing, 108
 - inverse variation, 548
 - linear equations, 159
 - in slope-intercept form, 62, 76
 - systems of, 165, 173
 - writing, 76
 - polynomials, 332
 - adding, 338
 - dividing, 578–579
 - factoring, 360, 366, 373–374, 380, 386
 - multiplying, 345–346
 - sum and difference pattern, 352
 - Pythagorean Theorem, 524
 - quadratic equations
 - solving by completing the square, 472
 - solving by graphing, 460
 - solving by the quadratic formula, 481–482
 - solving using square roots, 466
 - systems of linear and, 491
 - quadratic formula, 481–482
 - quadratic functions, 408
 - axis of symmetry, 429
 - difference and ratios of, 440
 - graphing, 408, 414, 420
 - rational expressions, 564
 - adding, 585–586
 - dividing, 572
 - rational functions, 556
 - slope, 54
 - square root equations, 515–516
 - square root functions, 507
 - square roots, 264
 - systems of linear equations
 - number of solutions, 180
 - solving by elimination, 173–174
 - solving by graphing, 159
 - solving by substitution, 165
 - systems of linear and quadratic equations, 491
 - systems of linear inequalities, 190
 - triangles
 - right, 524
 - trinomials, 373–374, 380
 - Example and non-example chart, 566
 - Excluded value**, defined, 552
 - Exponent(s), 268–275
 - properties of, 268–275
 - error analysis, 273
 - Power of a Power, 270
 - Power of a Product, 271
 - Power of a Quotient, 271
 - Product of Powers, 270
 - Quotient of Powers, 270
 - real-life application, 272
 - using, 270–271
 - writing a rule for, 268–269
 - rational, 276–281
 - error analysis, 280
 - real-life application, 279
 - writing, 280–281
 - Exponential decay**, 300–305
 - defined, 302
 - real-life application, 303
 - writing, 304
 - Exponential decay function**, defined, 302
 - Exponential equations, 292–293
 - Exponential function(s)**, 284–291
 - compared with linear and quadratic, 434–441
 - defined, 286
 - differences and ratios of, 437
 - simplifying
 - error analysis, 289
 - geometric sequences, 306–311
 - equation for, 309
 - error analysis, 310
 - real-life application, 309
 - recursive equation for, 312
 - writing, 310
 - graphing
 - rates of change, 442–443
 - growth, 294–299
 - compound interest, 297
 - error analysis, 298
 - real-life application, 297
 - modeling, 285
 - rates of change, 442–443
 - real-life application, 288
 - Exponential growth**, 294–299
 - compound interest, 297
 - defined, 296
 - error analysis, 298
 - function, 296–299
 - defined, 296

real-life application, 297

Exponential growth function,
296–299
defined, 296

Expressions
rational
adding, 580–587
defined, 562
dividing, 568–573
error analysis, 564, 572,
585–586
multiplying, 568–573
real-life applications, 563, 584
simplest form of, 562
simplifying, 560–565
subtracting, 580–587
writing, 564, 572, 585

simplifying, 560–565
error analysis, 274, 564
real-life application, 563
writing, 564

Extraneous solution
defined, 513
identifying, 514



Factor(s)
greatest common, 364

Factored completely, *See also*
Polynomial(s), 389

Factored form, defined, 358

Factoring
polynomials, 356–361, 368–381
completely, 389
difference of two squares,
382–387
error analysis, 360, 366,
373–374, 380, 386
by grouping, 388
perfect square trinomials,
382–387
prime, 389
real-life applications, 359,
365, 372, 385
trinomials, 368–381
using greatest common
factor, 362–367
writing, 366
Zero-Product Property, 358

Factoring by grouping, *See also*
Polynomial(s), 388

Five-number summary, defined,
620

Focus
of a parabola

defined, 412
error analysis, 414
real-life application, 413
writing, 414

FOIL Method, defined, 343

Formula(s)
for area
of a rectangle, 28
distance, 528
period of a pendulum, 514
rewriting, 26–31
real-life application, 29
simple interest, 28
slope, 48, 50
for surface area
of a cone, 28
of a cylinder, 28
temperature conversion, 29
using, 26–27
for volume
of a cylinder, 9
of a sphere, 31

Four square, 124

Function(s)
absolute value, 234–235
defined, 234
comparing, 434–441
exponential, linear, and
quadratic, 434–441
comparing graphs of, 442–443
defined, 204
differences and ratios of, 437
error analysis, 440
direct variation, 542–549
graphing, 545
reading, 545
domain, 202–207
continuous, 210–215
discrete, 210–215
error analysis, 206, 214
real-life application, 205
even, 549
exponential, 284–291
defined, 286
error analysis, 289
geometric sequences, 306–311
modeling, 285
real-life applications, 288,
297, 303
writing, 304
exponential decay, 302–305
defined, 302
exponential growth, 294–299
defined, 296
graphing, 402–421, 424–443
error analysis, 408, 414, 420,
429, 507, 556

properties of, 426
quadratic, 402–415, 424–443
rational, 550–557
real-life applications, 406,
413, 419, 505, 554
square root, 502–507
writing, 414, 420, 555

input-output tables and,
201–205

inverse, 558–559
defined, 559
reading, 559

inverse variation, 542–549
error analysis, 548
graphing, 545
reading, 545
real-life application, 546

linear
arithmetic sequences,
242–249
defined, 218
patterns, 216–221
real-life applications, 219,
239, 246

nonlinear
compared to linear, 236–241
defined, 238
real-life application, 239

notation, 224–231
error analysis, 229

odd, 549

piecewise, 232–233
defined, 232

quadratic, 402–415
defined, 404
error analysis, 408, 414, 420,
429
graphing, 402–415, 424–443
maximum value of, 427–428
minimum value of, 427–428
parabola, 404
real-life applications, 406,
413, 419, 428
vertex form of, 432
writing, 407, 420
zero of, 419

range, 202–207
error analysis, 206
real-life application, 205

rates of change, 442–443

rational
defined, 552
error analysis, 556
graphing, 550–557
real-life application, 554

relations, 208–209
defined, 208

- square root
 - defined, 504
 - domain of, 504
 - error analysis, 507
 - graphing, 502–507
 - real-life application, 505
 - step, 233
 - Vertical Line Test, 209
 - zero of, 419, 458
 - Function notation**, 224–231
 - defined, 224, 226
 - error analysis, 229
 - reading, 226
- 
- Geometric sequences**, 306–311
 - common ratio, 308
 - equation for, 309
 - error analysis, 310
 - extending, 308
 - graphing, 308
 - real-life application, 309
 - recursive equation for, 312
 - Geometry
 - Pythagorean Theorem, 520–531
 - converse of, 528
 - defined, 522
 - distance formula and, 526–531
 - error analysis, 524, 530
 - real-life applications, 523, 529
 - using, 526–531
 - triangles, *See* Triangle(s)
 - Graph of an inequality**, *See also* Inequality
 - defined, 107
 - error analysis, 114
 - Graph of a linear inequality**
 - See also* Inequality
 - defined, 136, 138
 - Graph of a system of linear inequalities**, *See also* Systems of linear inequalities
 - defined, 186
 - Graphic organizers
 - comparison chart, 222
 - concept circle, 634
 - example and non-example chart, 566
 - four square, 124
 - idea and examples chart, 354
 - information frame, 282
 - information wheel, 474
 - notetaking organizer, 166
 - process diagram, 70
 - summary triangle, 422
 - word magnet, 518
 - Y chart, 16
 - Graphing
 - arithmetic sequences, 245
 - direct variation, 545
 - distance formula, 526–531
 - error analysis, 530
 - real-life application, 529
 - equations
 - direct variation, 545
 - error analysis, 46, 62, 460
 - exponential, 293
 - inverse variation, 545
 - real-life applications, 45, 61
 - in slope-intercept form, 58–63
 - exponential functions, 287
 - real-life application, 288
 - functions
 - error analysis, 408, 414, 420, 429, 507, 556
 - rational, 550–557
 - real-life application, 554
 - writing, 555
 - geometric sequences, 308
 - inequalities, 104–109
 - compound, 132–133, 135
 - half-plane, 138
 - linear systems of, 186–187
 - linear in two variables, 136–143
 - inverse variations, 545–546
 - real-life application, 546
 - linear equations, 42–47, 182–183
 - error analysis, 62, 68
 - process diagram, 70
 - real-life applications, 61, 67, 183
 - in slope-intercept form, 58–63
 - to solve, 182–183
 - in standard form, 64–69
 - linear functions, 216–221
 - linear inequalities
 - in one variable, 139
 - in two variables, 139
 - quadratic equations, 454–461
 - error analysis, 460
 - real-life application, 458
 - writing, 459
 - quadratic functions, 402–421, 424–443
 - axis of symmetry, 404, 426
 - error analysis, 408, 414, 420, 429
 - focus, 412
 - maximum value of, 427–428
 - minimum value of, 427–428
 - parabola, 404
 - real-life applications, 406, 413, 419, 428
 - vertex, 404, 426
 - vertex form of, 432
 - writing, 407, 414, 420
 - zero of, 419
 - rates of change
 - of functions, 442–443
 - rational functions, 550–557
 - asymptotes, 553
 - error analysis, 556
 - real-life application, 554
 - writing, 555
 - slope, 48–55
 - formula, 48, 50
 - negative, 50, 52
 - positive, 50, 52
 - project, 54
 - rise, 50
 - run, 50
 - undefined, 51–52
 - zero, 51–52
 - solution points, 42, 44
 - square root functions, 502–507
 - error analysis, 507
 - real-life application, 505
 - systems of linear equations, 154–159
 - error analysis, 159
 - real-life application, 157
 - Vertical Line Test, 209
 - vertical translations, 227, 287, 504
 - Graphs
 - bar, 660
 - box-and-whisker plot, 618–625
 - error analysis, 623–624
 - five-number summary of, 621
 - interquartile range of, 621
 - quartiles of, 620
 - skewed left, 622
 - skewed right, 622
 - symmetric, 622
 - writing, 623–625
 - circle, 660
 - histogram, 660
 - line, 660
 - pictograph, 660
 - scatter plot, 636–643
 - defined, 638
 - lines of fit, 640, 644–651
 - Greatest common factor (GCF), 364
 - factoring polynomials, 362–367
 - error analysis, 366
 - writing, 366

H**Half-plane**, defined, 138

Histogram, 660

Hypotenuse, defined, 522**I**

Idea and examples chart, 354

Independent variable, defined, 204**Inequality**absolute value, 134–135
defined, 134

real-life application, 135

Addition Property of, 110–115
reading, 113

compound, 132–133

defined, 132

graphing, 132–133

real-life application, 135

writing, 132

defined, 106

Division Property of, 116–123

graph of a linear, 136–143

defined, 136, 138

in two variables, 136–143

graphing, 104–109

defined, 107

error analysis, 114

real-life application, 140

linear in one variable, 139

graphing, 139

linear in two variables, 136–143

defined, 138

error analysis, 142

graphing, 139

half-plane, 138

real-life application, 140

multi-step, 126–131

error analysis, 130

real-life application, 129

writing, 130

Multiplication Property of,
116–123

error analysis, 121

project, 123

solution of, 106

solution of linear, 138

solution set, 106

solving

absolute value, 134–135

compound, 132–133

error analysis, 108, 114,

121–122, 130

multi-step, 126–131

reading, 113, 138

real-life applications, 113,
129, 135, 140

using addition and

subtraction, 110–115

using multiplication and

division, 116–123

using a table, 116–117

Subtraction Property of, 110–115

symbols of, 106

reading, 106

systems of linear, 184–191

error analysis, 190

graphing, 186–187

real-life application, 188

writing, 188

Triangle inequality, 105

writing, 104–109

error analysis, 108

project, 123

Information frame, 282

Information wheel, 474

Interquartile range, defined, 621**Inverse function(s)**, 558–559

defined, 559

reading, 559

Inverse operations, 4, 7

addition and subtraction, 4

multiplication and division,
5, 118**Inverse relation**, defined, 558**Inverse variation**, 542–549

constant of variation for, 544

defined, 544

error analysis, 548

graphing, 545

reading, 545

real-life application, 546

Irrational number(s), 266–267

J**Joint frequency**, defined, 654**L****Least common denominator**

defined, 583

solving rational equations with,
591**Legs**, of a right triangle, 522

Like terms

combining to solve equations, 12

Line(s)

asymptote, 553

graphing, 48–55

parallel, 56, 84

equation for, 84

perpendicular, 85

defined, 57

equation for, 85

slope

defined, 48, 50

error analysis, 54

formula, 50

project, 54

Vertical Line Test, 209

 x -intercept of

defined, 60

 y -intercept of

defined, 60

Line of best fit, defined, 647**Line of fit**, 636–651

analyzing, 644–651

correlation coefficient, 647

defined, 640

line of best fit, 647

linear regression, 647

residuals, 646–647

writing, 641, 649

Line graph, 660

Linear equation(s), *See also*

Equation(s)

defined, 44

graphing, 42–47, 182–183

error analysis, 46, 62

real-life application, 45

slope, 48–55

in slope-intercept form,
58–63

solution points, 42

in standard form, 64–69

in point-slope form

real-life application, 81

writing, 78–83

real-life problems, 88–89

project, 91

slope, 48–55

defined, 48, 50

error analysis, 54

negative, 50, 52

positive, 50, 52

project, 54

rise, 50

run, 50

undefined, 51–52

zero, 51–52

in slope-intercept form, 58–63

error analysis, 62, 76

real-life applications, 61, 75

writing, 72–77

solution of

defined, 44

solving by graphing, 182–183

- real-life application, 183
- in standard form, 64–69
 - error analysis, 68
 - real-life application, 67
- systems of, 154–159
 - defined, 156
 - error analysis, 159, 165, 173–174, 180
 - number of solutions, 176–181
 - reading, 156
 - real-life applications, 157, 163, 172
 - solving by elimination, 168–175
 - solving by graphing, 154–159
 - solving by substitution, 160–165
- writing
 - of parallel line, 84
 - of perpendicular line, 85
 - in point-slope form, 78–83
 - real-life problems, 86–93
 - in slope-intercept form, 72–77
 - using two points, 81

Linear function(s)

- arithmetic sequences, 242–249
 - defined, 244
 - error analysis, 248
 - real-life application, 246
 - recursive equation for, 312
 - writing, 247
- compared with exponential and quadratic, 434–441
- defined, 218
- differences and ratios of, 437
- graphing
 - rates of change, 442–443
- nonlinear compared to, 236–241
 - real-life application, 239
- patterns, 216–221
 - real-life application, 219
- rates of change, 442–443

Linear inequality in two variables,

See also Inequality

- defined, 138
- error analysis, 142
- graphing, 139
- reading, 138
- real-life application, 140

Linear regression,

- defined, 647
- line of best fit, 647

Literal equation(s) *See also*

- Equation(s)
- defined, 28
- error analysis, 30

- real-life application, 29
- rewriting, 26–31
- Logic, *Throughout. For example, see:*
 - box-and-whisker plots, 624
- data displays
 - box-and-whisker plots, 624
- domains, 215
- equations
 - graphing, 42
 - linear systems of, 175
 - quadratic, 467
 - simple, 9
 - slope-intercept form, 59
 - solving, 42
- exponential functions, 290
- exponents, 281
- factoring trinomials, 375
- formulas, 31
- functions
 - exponential, 290
 - quadratic, 409, 421
- graphing, 42
 - quadratic functions, 409, 421
- graphs
 - box-and-whisker plots, 624
- inequalities, 109
- linear equations
 - in standard form, 69
 - systems of, 175
- polynomials, 333
 - factoring, 375
- quadratic equations, 467
- radicals, 281
- rational expressions, 587
- systems of linear equations, 175
 - number of solutions, 181



Marginal frequency, defined, 654

Maximum value, of a quadratic function, 427–428

- defined, 427

Mean, 606–611

- defined, 608

Meaning of a Word

- linear equations, 42

Measures of central tendency,

- 608–611

- defined, 608

mean

- defined, 608

median

- defined, 608

mode

- defined, 608

Measures of dispersion, 612–617

- defined, 614

- project, 617

- range of a data set, 614

- standard deviation, 615

Median, 606–611

- defined, 608

Minimum value, of a quadratic

- function, 427–428

- defined, 427

Mode, 606–611

- defined, 608

Modeling, *Throughout. For*

example, see:

- box-and-whisker plots, 625

- data analysis

- lines of fit, 651

- data displays

- box-and-whisker plots, 625

- distribution, 633

- equations

- polynomial, 367

- quadratic, 461

- square root, 517

- functions

- linear *vs.* nonlinear, 241

- quadratic, 409

- rational, 557

- graphs

- box-and-whisker plots, 625

- inequalities, 115

- absolute value, 135

- linear in two variables, 142

- linear equations

- in standard form, 69

- systems of, 159

- lines of fit, 651

- polynomials, 339

- factors, 367

- quadratic equations, 461

- quadratic functions, 409

- rational functions, 557

- square root equations, 517

- square roots, 265

- systems of linear equations, 159

Monomial(s), *See also*

- Polynomial(s)

- defined, 330

- degree of, 330

Multi-step equation(s), *See also*

- Equation(s)

- error analysis, 14

- real-life application, 13

- solving, 10–15

- combining like terms, 12

- with Distributive Property, 13

- two-step, 12–13

Multi-step inequalities, *See*
Inequality

Multiplication
as inverse of division, 5
polynomials, 340–347
error analysis, 345–346
real-life application, 344

Property
of Equality, 5
of Inequality, 116–123
rational expressions, 568–573
writing, 572
to solve equations, 5

Multiplication Property of
Equality, 5

Multiplication Property of
Inequality, 116–123

N

Nonlinear function(s)
defined, 238
linear compared to, 236–241
real-life application, 239

Notetaking organizer, 166

***n*th root**, 276–278
defined, 278
writing, 280

Number(s)
irrational, 266–267
nonzero, 330
rational, 266–267
real, 266–267
scientific notation, 272
sets, closed, 266

Number Sense, *Throughout. For
example, see:*
absolute value inequality, 135
arithmetic sequences, 248
box-and-whisker plots, 623
correlation coefficient, 649
data displays
box-and-whisker plots, 623
exponential equations, 292
exponential growth, 299
expressions, 572
factoring
difference of two squares, 387
trinomials, 375
functions
arithmetic sequences, 248
exponential, 290, 299
linear *vs.* nonlinear, 241
quadratic, 420
graphing
quadratic functions, 420
graphs

box-and-whisker plots, 623
lines of fit, 649
perfect square trinomial pattern,
473
polynomials, 333
dividing, 578
factoring, 375
multiplying, 347
rational expressions, 572
systems of linear equations,
164–165
solving by elimination, 173

O

Open-Ended, *Throughout. For
example, see:*
arithmetic sequences, 249
common differences, 249
data analysis
mode, 610
data displays, 642
choosing a, 662
two-way tables, 656
equations, 14
rational, 592
simple, 9
slope, 53
in slope-intercept form, 62
solving, 592
square root, 516
with variables on both sides,
22
exponential functions, 289
exponents, 274
functions
quadratic, 414
square root, 507
graphing
quadratic functions, 414
rational functions, 556
square root functions, 507
histograms, 662
inequalities, 121
in two variables, 141
mode, 610
negative slope, 90
polynomials, 332, 346
factoring, 367
sum and difference pattern,
352
trinomial, 373
rational equations, 592
rational expressions, 565
with like denominators, 586
rational functions, 556
simple equations, 9

slope of a line, 53
slope-intercept form, 62
square root equations, 516
square root functions, 507
trinomials, 332
two-way tables, 656

Operations
closed set, 266
inverse, 7
addition and subtraction, 4
multiplication and division,
5, 118

Ordered pairs, 44
solution points, 42
solution of a system of linear
equations, 156
solution of a system of linear
inequalities, 186

Outlier, defined, 609

P

Parabola(s)
axis of symmetry, 404
defined, 404
equation, 413
focus, 410–415
defined, 412
error analysis, 414
real-life application, 413
writing, 414
properties, 426
vertex, 404

Parallel line
equation of, 84
slope of, 56

Patterns
difference of two squares,
382–387
perfect square trinomial,
382–387
square of a binomial, 348–353
sum and difference, 348–353

Perfect square trinomial pattern,
382–387
error analysis, 386
writing, 472

Perimeter formulas, 26

Perpendicular line
defined, 57
equation of, 84–85
slope of, 57

Pictograph, 660

Piecewise function(s), *See also*
Function(s)
defined, 232

- graphing, 232–233
- writing, 233
- Point-slope form**
 - defined, 80
 - real-life application, 81
 - writing equations in, 78–83
- Polynomial(s)**, 328–333
 - adding, 334–339
 - error analysis, 338
 - real-life application, 337
 - binomial, 331
 - error analysis, 352
 - real-life application, 351
 - square of binomial pattern, 348–353
 - sum and difference pattern, 348–353
 - classifying, 328, 331
 - defined, 331
 - degree of, 331
 - difference of two squares
 - pattern, 382–387
 - writing, 386
 - dividing, 574–579
 - error analysis, 578–579
 - writing, 578
 - error analysis, 332, 338, 345–346, 352, 373–374
 - factoring
 - completely, 389
 - difference of two squares, 382–387
 - error analysis, 366, 373–374, 380, 386
 - by grouping, 388
 - perfect square trinomials, 382–387
 - prime, 389
 - real-life applications, 372, 385
 - trinomials, 368–381
 - using greatest common factor, 362–367
 - writing, 366, 373, 380, 386
 - FOIL Method, 343
 - monomials, 330
 - multiplying, 340–347
 - error analysis, 345–346
 - real-life application, 344
 - using Distributive Property, 342
 - using FOIL Method, 343
 - perfect square trinomial pattern, 382–387
 - error analysis, 386
 - real-life applications, 331, 337, 344, 351
 - square of binomial pattern, 348–353
 - error analysis, 352
 - real-life application, 351
 - subtracting, 334–339
 - error analysis, 338
 - real-life application, 337
 - sum and difference pattern, 348–353
 - error analysis, 352
 - trinomials
 - defined, 331
 - error analysis, 373–374
 - factoring, 368–381
 - real-life application, 372
 - writing, 373, 380
 - writing, 332, 338, 345, 373, 380
- Zero-Product Property, 358
- Polynomial equation(s), *See also* Polynomial(s)
 - factored form, 356–361
 - defined, 358
 - error analysis, 360, 366
 - real-life applications, 359, 365
 - using greatest common factor, 362–367
 - writing, 360, 366
 - Zero-Product Property, 358
- Power of a Power Property, 270
- Power of a Product Property, 271
- Power of a Quotient Property, 271
- Precision, *Throughout. For example, see:*
 - data displays, 657
 - direct and inverse variation, 549
 - equations
 - direct and inverse variation, 549
 - graphing, 42, 46
 - quadratic, 473
 - solving, 23
 - systems of linear, 181
 - writing, 76
 - exponents, 275
 - FOIL Method, 347
 - functions
 - domains and range, 207
 - linear *vs.* nonlinear, 241
 - square root, 507
 - geometric sequences, 311
 - graphing
 - quadratic functions, 430
 - square root functions, 507
 - graphs, 42
 - inequalities, 123
 - polynomials, 347
 - Pythagorean Theorem, 525
- quadratic equations, 473
- right triangles, 525
- slope, 76
- systems of linear equations, 181
- Prime polynomial**, *See also* Polynomial(s), 389
- Problem Solving, *Throughout. For example, see:*
 - equations
 - graphing, 47
 - linear, 47, 175
 - multi-step equations, 15
 - in point-slope form, 83
 - quadratic, 483
 - exponents, 275, 281
 - expressions, 565
 - graphs, 47
 - inequalities, 114
 - linear in two variables, 143
 - linear equations, 175
 - linear functions, 221
 - perfect square trinomial, 387
 - polynomials, 339
 - factoring, 387
 - quadratic equations, 483
 - quadratic functions, 421
 - rational expressions, 565
 - square root functions, 507
- Process diagram, 70
- Product of Powers Property, 270
- Product Property of Square Roots, 262
- Properties
 - Addition Property of Equality, 4
 - Addition Property of Inequality, 112
 - Cross Products Property, 590
 - Distributive Property, 13
 - Division Property of Equality, 5
 - Division Property of Inequality, 118
 - Multiplication Property of Equality, 5
 - Multiplication Property of Inequality, 118
 - Power of a Power Property, 270
 - Power of a Product Property, 271
 - Product of Powers Property, 270
 - Product Property of Square Roots, 262
 - Quotient of Powers Property, 270
 - Quotient Property of Square Roots, 262
 - Subtraction Property of Equality, 4
 - Subtraction Property of

Inequality, 112
Zero-Product Property, 358
Pythagorean Theorem, 520–531
converse of, 528
defined, 522
distance formula and, 526–531
error analysis, 530
writing, 530
error analysis, 524, 530
real-life applications, 523, 529
using, 526–531
distance formula, 526–531
real-life application, 529



Quadratic equation(s)

defined, 456
roots, 456
solutions of
choosing a method, 484–485
no real solutions, 457
one real solution, 456
two real solutions, 456
using a discriminant, 480
solving by completing the square, 468–473, 484
defined, 470
error analysis, 472
real-life application, 471
solving by factoring, 484
solving by graphing, 454–461, 484
error analysis, 460
real-life application, 458
solving by the quadratic formula, 476–484
error analysis, 481–482
real-life application, 479
solving using square roots, 462–467, 484
error analysis, 466
real-life application, 465
systems of linear and, 486–491
error analysis, 491
writing, 490
writing, 459, 467

Quadratic formula

defined, 478
discriminant and, 480
interpreting, 480
using to solve quadratic equations, 476–483
error analysis, 481–482
real-life application, 479

Quadratic function(s)

characteristics

axis of symmetry, 404
vertex, 404
compared to linear and exponential, 434–441
defined, 404
differences and ratios of, 437
error analysis, 440
error analysis, 408, 414, 429
graphing, 402–421, 424–443
axis of symmetry, 404, 426
error analysis, 408, 414, 420, 429
focus, 412
parabola, 404, 410–415
rates of change, 442–443
real-life applications, 406, 413, 419, 428
vertex, 404, 426
vertex form of, 432
writing, 407, 414, 420
maximum value of, 427–428
real-life application, 428
minimum value of, 427–428
rates of change, 442–443
real-life applications, 406, 428
vertex form of, 432–433
writing, 407
zero of, 419, 458

Quartile, defined, 620

Quotient of Powers Property, 270

Quotient Property of Square Roots, 262



Radical(s), 276–281

n th root, 276–278

reading, 278

Radical expression(s), 508–509

rationalizing the denominator
defined, 508

simplest form of, 508

simplifying, 508–509

conjugates and, 509

real-life application, 509

Range

of a function, 202–207

defined, 204

error analysis, 206

real-life application, 205

Range (of a data set)

defined, 614

project, 617

Rate of change, 442–443

Rational equation(s)

defined, 590

solving, 588–593

real-life application, 591
using Cross Products Property, 590
using least common denominator, 591
writing, 592

Rational exponent(s), *See also*

Exponent(s)

error analysis, 280

real-life application, 279

writing, 280–281

Rational expression(s)

adding, 580–587

error analysis, 585–586

real-life application, 584

with like denominators, 582

with unlike denominators, 583

defined, 562

dividing, 568–573

error analysis, 572

writing, 572

excluded values of, 552, 570

least common denominator of, 583

defined, 583

writing, 585

multiplying, 568–573

writing, 572

simplest form of, 562

writing, 564–565

simplifying, 560–565

error analysis, 564

real-life application, 563

subtracting, 580–587

with like denominators, 582

with unlike denominators, 584

Rational function(s)

defined, 552

graphing, 550–557

asymptotes, 553

error analysis, 556

excluded values, 552

real-life application, 554

writing, 555

Rational number(s), 266–267

Rationalizing the denominator,

defined, 508

Reading

direct variation, 545

function notation, 226

inequality, 113

linear with two variables, 138

symbols, 106

inverse functions, 559

inverse variation, 545

radical sign, 278

- systems of linear equations, 156
- Real number(s)
 - operations, 266–267
 - square of, 464
- Real-life applications, *Throughout*.
 - For example, see:*
 - arithmetic sequences, 246
 - equations
 - absolute value, 25
 - graphing, 45
 - inverse variation, 546
 - multi-step, 13
 - quadratic, 458, 465, 479
 - rational, 591
 - rewriting, 29
 - simple, 6
 - in slope-intercept form, 61, 75
 - square root, 514
 - in standard form, 67
 - systems of linear, 157
 - with variable(s) on both sides, 21
 - exponential decay, 303
 - exponential growth, 297
 - exponents, 272
 - rational, 279
 - expressions, 584
 - simplifying, 563
 - factoring
 - difference of two squares, 385
 - polynomials, 365
 - functions
 - arithmetic sequences, 246
 - domain and range, 205
 - exponential, 288, 297
 - linear, 219
 - linear *vs.* nonlinear, 239
 - maximum value of, 428
 - quadratic, 413, 419, 428
 - rational, 554
 - square root, 505
 - geometry
 - Pythagorean Theorem, 523, 529
 - graphing
 - exponential functions, 288
 - linear equations, 45
 - quadratic functions, 406, 413, 419
 - rational functions, 554
 - square root functions, 505
 - inequalities, 113
 - absolute value, 135
 - compound, 135
 - linear in two variables, 140
 - multi-step, 129
 - inverse variation, 546
- linear equations
 - point-slope form, 81
 - slope-intercept form, 61, 75
 - solving by graphing, 183
 - standard form, 67
- parabolas, 413
- polynomials, 331, 337, 344
 - factoring, 359, 365, 385
 - square of binomial pattern, 351
- Pythagorean Theorem, 523, 529
- quadratic equations
 - solving by completing the square, 471
 - solving by graphing, 458
 - solving by the quadratic formula, 479
 - solving using square roots, 465
- quadratic formula, 479
- rational equations, 591
- rational expressions, 563
 - adding, 584
- rational functions, 554
- simple equations, 6
- slope-intercept form, 61
- square root functions, 505
- square roots, 263
- systems of linear equations
 - solving by elimination, 172
 - solving by graphing, 157
 - solving by substitution, 163
- systems of linear inequalities, 188
- x -intercepts, 61
- y -intercepts, 61
- Real-life problems
 - solving, 86–93
 - writing, 86–93
- Reasoning, *Throughout*. *For example, see:*
 - data analysis
 - distribution, 633
 - lines of fit, 643
 - measures of central tendency, 611
 - measures of dispersion, 616–617
 - standard deviation, 616–617
 - data displays
 - choosing, 662–663
 - scatter plots, 643
 - two-way tables, 657
 - direct variation, 548
 - distance formula in a coordinate plane, 531
 - domains, 215, 249
 - of a function, 408, 556
 - of a square root function, 506–507
- equations
 - direct variation, 548–549
 - exponential, 292
 - inverse variation, 549
 - linear, 63, 68
 - point-slope form, 85
 - quadratic, 430, 460–461, 467, 473, 483, 491
 - rational, 593
 - real solutions of, 466
 - real-life problems, 91
 - rewriting, 31
 - slope, 53, 55
 - slope-intercept form, 63
 - square root, 516
- exponential equations, 292
- exponential functions, 290–291, 299
 - rates of change, 443
- exponential growth, 299
- exponents, 274–275
- expressions
 - adding, 585
 - dividing, 573
 - multiplying, 586
- factoring, 432
 - perfect square trinomial, 386
 - polynomials, 360, 366, 381
- FOIL Method, 346
- formulas, 31
- functions, 209
 - absolute value, 235
 - arithmetic sequences, 249
 - differences and ratios of, 440
 - domains, 249, 506
 - exponential, 290–291, 299, 443
 - linear, 208, 220–221, 443
 - piecewise, 232
 - quadratic, 408, 415, 419–421
 - rates of change, 443
 - rational, 549, 556, 564
 - square root, 506–507
 - zero of, 421
- graphs, 68, 290–291
 - comparing, 432
 - focus of a parabola, 415, 421
 - quadratic functions, 415, 419–421, 431
 - scatter plots, 643
- indirect variation, 549
- inequalities, 108, 114–115
 - linear in two variables, 141, 143

- multi-step, 131
- systems of linear, 189–190
- intercepts, 90
- inverse variation, 549
- linear equations, 209
 - systems of, 159, 180–181
- linear functions, 219
 - rates of change, 443
- lines of fit, 643
 - correlation coefficient, 651
- measures of central tendency, 611
- measures of dispersion, 616
- mental math, 516
- point-slope form, 85
- polynomials
 - dividing, 578–579
 - factoring, 360, 366, 381, 386
 - FOIL Method, 346
 - multiplying, 346
 - subtracting, 338
 - sum and difference pattern, 352
- Pythagorean Theorem, 531
- quadratic equations, 460–461, 467, 483
 - solving by completing the square, 473
 - systems of linear and, 491
- quadratic formula
 - discriminant, 483
 - solving by, 483
- quadratic functions, 408, 431
 - axis of symmetry, 430
 - graphing, 415, 419–421
 - vertex form of, 433
- rational equations, 548, 593
- rational functions, 556, 564
- real-life problems, 90–91
- right triangles, 531
- scatter plots, 643
- sequences
 - arithmetic, 249
 - geometric, 310–311
- simple equations, 9
- slope, 53, 55, 90
- solutions, 466
- square root equations, 516
- square root functions, 507
 - domain of, 506
- standard deviation, 616–617
- systems of linear equations, 159, 164, 174–175
 - number of solutions, 180–181
- systems of linear inequalities, 189–190

- two-way tables, 657

Recursive rule

- defined, 312

- writing, 313

Recursively defined sequences, 312–315

- recursive equation

- arithmetic sequence, 312

- geometric sequence, 312

- recursive rule, 312

Relation(s),

- defined, 208

- functions and, 208–209

- inverse, 557

Repeated Reasoning, *Throughout.*

For example, see:

- arithmetic sequences, 248

- equations

- linear systems of, 165

- quadratic, 482

- geometric sequences, 311

- graphing rational functions, 557

- inequalities, 109

- system of linear, 191

- polynomials

- dividing, 579

- multiplying, 353

- quadratic equations, 482

- quadratic formula, 482

- rewriting equations and

- formulas, 31

- systems of linear equations, 165

- systems of linear inequalities, 191

Residual, defined, 646

Right triangle, *See* Triangle(s)

Rise, defined, 50

Root, defined, 358

Roots of numbers

- cube, 276

- n*th, 276–278

- square, 504

Run, defined, 50



Scatter plot, 636–643, 660

- defined, 638

- lines of fit, 640–643

- analyzing, 644–651

- correlation coefficient, 647

- defined, 640

- line of best fit, 647

- linear regression, 647

- residuals, 646–647

- writing, 641

- relationship of data, 639

Sequences

- arithmetic, 242–247

- defined, 244

- equation for, 245

- error analysis, 248

- real-life application, 246

- recursive equation for, 312

- writing, 247, 310

- defined, 244

- geometric, 306–311

- common ratio, 308

- equation for, 309

- error analysis, 310

- extending, 308

- graphing, 308

- real-life application, 309

- recursive equation for, 312

- writing, 310

- recursively defined, 312–315

- recursive rule, 312

Simplest form of a radical expression

- conjugates and, 509

- defined, 508

- real-life application, 509

Simplest form of a rational expression, defined, 562

Slope

- defined, 48, 50

- error analysis, 54

- formula, 50

- graphing, 48–55

- negative, 50, 52

- parallel lines, 56, 84

- perpendicular lines, 57

- positive, 50, 52

- project, 54

- rise, 50

- run, 50

- undefined, 51–52

- zero, 51–52

Slope-intercept form, 58–63

- defined, 60

- graphing equations in

- error analysis, 62

- real-life application, 61

- writing equations in, 72–77

- error analysis, 76

- real-life application, 75

Solution(s)

- extraneous, 513

- of linear equations, 42, 44

- of quadratic equations

- choosing a method of,

- 484–485

- no real, 457

- one real, 456
- two real, 456
- Solution of an inequality**, defined, 106
- Solution of a linear inequality**, *See also* Inequality
 - defined, 138
- Solution points, *See* Solution(s)
- Solution set of an inequality**, defined, 106
- Solution of a system of linear equations**, *See also* Systems of linear equations
 - defined, 156
- Solution of a system of linear inequalities**, *See also* Systems of linear inequalities
 - defined, 186
- Sphere, volume of, 31
- Square of binomial pattern, 348–353
 - error analysis, 352
 - real-life application, 351
- Square root(s), 260–265
 - error analysis, 264
 - evaluating, 262
 - n th root, 276–278
 - defined, 278
 - operations with, 261
 - Product Property of, 262
 - writing, 264
 - Quotient Property of, 262
 - writing, 264
 - real-life application, 263
 - simplifying, 262
 - symbol, 260
 - to solve quadratic equations, 462–467
 - error analysis, 466
 - real-life application, 465
 - writing, 467
 - writing, 264
- Square root equation(s)**
 - defined, 512
 - solving, 510–517
 - error analysis, 515–516
 - extraneous solutions, 513
 - real-life application, 514
 - writing, 515–516
- Square root function(s)**
 - defined, 504
 - domain of, 504
 - graphing, 502–507
 - error analysis, 507
 - real-life application, 505
- Standard deviation**
 - defined, 615
 - project, 617
- Standard form**
 - of linear equations
 - defined, 66
 - error analysis, 68
 - real-life application, 67
- Standardized Test Practice
 - domains, 213
 - equations
 - inverse variation, 546
 - quadratic, 489
 - with variables on both sides, 21
 - writing in slope-intercept form, 75
 - exponents, 272
 - expressions
 - dividing, 571
 - factoring
 - polynomials, 359, 379
 - trinomials, 379
 - function notation, 228
 - functions
 - linear *vs.* nonlinear, 239
 - quadratic, 419
 - graphs
 - of multi-step inequalities, 129
 - quadratic functions, 419
 - inequalities, 129
 - inverse variation, 546
 - polynomials, 337
 - factoring, 359, 379
 - quadratic equations
 - systems of linear and, 489
 - quadratic functions, 419
 - rational expressions
 - dividing, 571
 - simple equations, 6
 - slope-intercept form, 75
 - trinomials
 - factoring, 379
- Stem-and-leaf plot, 660
- Step function(s)**, *See also* Function(s)
 - defined, 233
- Structure, *Throughout. For example, see:*
 - completing the square, 473
 - data displays, 663
 - distance formula in a coordinate plane, 531
 - equations
 - slope, 55
 - solving, 23
 - systems of linear, 165
 - exponential functions, 291
 - decay, 305
 - expressions, dividing, 573
 - factoring polynomials, 381
 - functions
 - domain and range, 235
 - exponential, 291, 305
 - graphing, 415
 - notation, 231
 - piecewise, 235
 - inequalities, 123
 - system of linear, 191
 - inverse variation, 549
 - polynomials. factoring, 381
 - Pythagorean Theorem, 525
 - distance formula and, 531
 - quadratic equations
 - solving by completing the square, 473
 - quadratic functions, 415
 - rational expressions, 573
 - rational numbers, 267
 - right triangles, 525
 - slope, 55
 - systems of linear equations, 165
 - systems of linear inequalities, 191
- Study Tips
 - absolute value function, 234
 - arithmetic sequences, 246
 - asymptotes, 554
 - box-and-whisker plots, 620, 622
 - completing the square, 470
 - compound interest, 297
 - conjugates, 509
 - constant of variation, 544
 - data displays
 - box-and-whisker plots, 620, 622
 - lines of fit, 640
 - scatter plots, 639
 - equations
 - completing the square, 470
 - constant of variation, 544
 - factoring, 456
 - inverse variation, 545
 - linear, 66, 183
 - of lines of fit, 647
 - multi-step, 13
 - quadratic, 480, 484
 - slope, 50
 - in standard form, 66
 - writing, 74, 81
 - exponential functions, 287–288
 - compound interest, 297
 - decay, 302
 - geometric sequences, 309

growth, 296
 exponents rational, 288
 expressions
 excluded values of, 562
 rational, 562
 factoring
 equations, 456
 polynomials, 364, 378–379
 function notation, step, 233
 functions, 438
 absolute value, 234
 arithmetic sequences, 246
 exponential, 287, 302
 inverse, 559
 linear, 437
 linear *vs.* nonlinear, 238–239
 notation, 227
 piecewise, 234
 quadratic, 428, 437
 square root, 505
 geometric sequence, 309
 graphing
 asymptotes, 554
 horizontal translation, 505
 square root function, 505
 graphing calculator, 428
 graphs
 box-and-whisker plots, 620, 622
 lines of fit, 640
 scatter plots, 639
 horizontal translation, 505
 inequalities, 112, 129
 absolute value, 135
 compound, 132–133
 graphing, 129
 systems of linear, 187
 inverse functions, 559
 inverse operations, 112
 inverse variation, 545
 linear functions, 437
 lines of fit, 640, 648
 equations of, 647
 parabolas, 428
 period of a pendulum, 514
 piecewise function, 234
 polynomials, 336–337
 dividing, 576–577
 factoring, 364, 378–379
 sum and difference pattern, 350
 Pythagorean triples, 528
 quadratic equations
 roots of, 480
 solutions of, 480, 484
 quadratic functions, 428, 437
 vertex form of, 433

radical expressions
 conjugates, 509
 rationalizing the denominator, 508
 radical symbol, 278
 rate of change, 238
 rational exponents, 288
 rational expressions, 562
 rationalizing the denominator, 508
 right triangles, 522
 scatter plots, 639
 lines of fit, 640, 648
 slope, 50
 slope of a vertical line, 56
 solutions
 checking for reasonableness, 465
 of quadratic equations, 480
 systems of linear equations
 solving by elimination, 170–171
 solving by graphing, 157
 solving by substitution, 163
 systems of linear inequalities, 187
 triangles
 Pythagorean triples, 528
 right, 522
 trinomials, factoring, 378–379
 variation, constant of, 544
Subtraction
 as inverse of addition, 4
 polynomials, 334–339
 error analysis, 338
 real-life application, 337
Property
 of Equality, 4
 of Inequality, 112
 rational expressions, 580–587
 least common denominator of, 583
 with like denominators, 582
 with unlike denominators, 584
 to solve equations, 4–5
Subtraction Property of Equality, 4
Subtraction Property of Inequality, 112
Sum and difference pattern, 348–353
 error analysis, 352
Summary triangle, 422
Surface area
 of a cone, 28
 of a cylinder, 28
Symbols

of inequality, 106
 reading, 106
 radical sign, 278
 square root, 260

Systems of linear equations

defined, 154, 156
 number of solutions, 176–181
 error analysis, 180
 infinitely many, 178–179
 no solution, 178
 one solution, 178
 writing, 180
 reading, 156
 solution of
 defined, 156
 solving by elimination, 168–175
 error analysis, 173–174
 real-life application, 172
 writing, 173
 solving by graphing, 154–159
 error analysis, 159
 real-life application, 157
 solving by substitution, 160–165
 error analysis, 165
 real-life application, 163
 writing, 164
 writing, 158, 164, 173

Systems of linear and quadratic equations

solving
 by elimination, 486–487, 489–491
 by graphing, 486–487, 489–491
 by substitution, 486–488, 490–491
 error analysis, 491
 writing, 490

Systems of linear inequalities, 184–191

defined, 186
 graph of
 defined, 186
 graphing, 186–187
 solution of
 defined, 186
 solving
 error analysis, 190
 real-life application, 188
 writing, 189
 writing, 188



Temperature conversion formula, 29

Term of a sequence, defined, 244

Theorem, defined, 520

Triangle(s)
 Pythagorean Theorem and, 520–531
 converse of, 528
 distance formula and, 526–531
 error analysis, 524
 real-life application, 523, 529
 using, 526–531
 right, 520–531
 hypotenuse of, 522
 identifying, 528
 legs of, 522
 real-life application, 529

Triangle Inequality, 105

Trinomial(s), *See also* Polynomial(s)
 defined, 331
 factoring, 368–381
 error analysis, 373–374, 380
 real-life application, 372
 writing, 373, 380

Two-way table(s), 652–657
 defined, 654
 joint frequencies, 654
 marginal frequencies, 654
 relationships in, 655

V

Variables
 dependent
 defined, 204
 independent
 defined, 204
 on both sides of an equation, 18–13
 error analysis, 22
 real-life application, 21
 writing, 22–23

Variation
 constant of, 544
 direct, *See* Direct variation
 inverse, *See* Inverse variation

Vertex, defined, 404

Vertex form, of a quadratic function, 432–433

Vertical Line Test, defined, 209

Volume, 26
 of a cylinder, 9
 of a sphere, 31

W

Word magnet, 518

Writing, *Throughout. For example,*

see:

arithmetic sequences, 247, 310
 asymptotes, 555
 box-and-whisker plots, 623–625
 coordinate plane
 distance formula, 530
 data analysis
 distribution, 631
 lines of fit, 641
 outliers, 610
 data displays
 box-and-whisker plots, 624–625
 choosing a, 660
 quartiles, 623
 distance formula, 530
 domains, 214
 equations, 14
 absolute value, 25
 quadratic, 459, 467
 rational, 592
 square root, 515–516
 systems of linear, 158
 with variables on both sides, 22–23
 exponential decay, 304
 exponents
 n th root, 280
 rational, 281
 expressions
 dividing, 572
 least common denominator, 585
 multiplying, 572
 in simplest form, 564, 565
 factoring
 difference of two squares, 386
 trinomials, 373
 focus of a parabola, 414
 function notation, 229
 functions
 exponential, 304
 linear, 247
 quadratic, 407
 geometric sequences, 310
 graphing
 quadratic equations, 459
 rational functions, 555
 graphs
 box-and-whisker plots, 623, 625
 inequalities, 121, 130
 multi-step, 130
 systems of linear, 189
 in two variables, 141
 linear equations, 76
 lines of fit, 641, 649

monomials, 332
 outliers, 610
 perfect square trinomial pattern, 472
 polynomials, 332, 338
 dividing, 578
 factoring, 360, 373, 386
 FOIL Method, 345
 with greatest common factor, 366
 quadratic equations, 459, 467
 quadratic functions, 407, 414, 420
 rational equations, 592
 residuals, 649
 square root equations, 515–516
 square roots, 264
 systems of linear equations
 number of solutions, 180
 solving by elimination, 173
 solving by graphing, 158
 solving by substitution, 164
 systems of linear and quadratic equations, 490–491
 systems of linear inequalities, 189

X

x -intercept
 defined, 60
 real-life application, 61

Y

Y chart, 16
 y -intercept, defined, 60

Z

Zero
 of a function, 418, 458
Zero-Product Property, defined, 358